

Weekly List of Registered Applications

Application Reference	Location	Proposed Development	Link To Application
S/0090/18/CM	Ashwell & Morden Station Goods Yard, Odsey, SG7 5RT	Use of unused land as staff car park and storage for salvage vehicles.	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/0090/18/CM
S/2171/18/FL	Sandalwood, Ely Road, Landbeach, Cambridge, Cambridgeshire, CB25 9NW	Dropped kerb	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2171/18/FL
S/2413/18/FL	10A High Street, Pampisford, Cambridge, CB22 3ES	Relocation of brick wall	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2413/18/FL
S/2565/18/NM	42, Manor Park, Histon, Cambridge, Cambridgeshire, CB24 9JT	Non Material Amendment of Planning Permission S/0449/15/FL (Single Storey Side/ Rear Extension) to allow amendments to ground floor fenestration	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2565/18/NM
S/2639/18/FL	Homefield Stables, Cambridge Road, Oakington And Westwick, Cambridge, CB24 3BG	Change of use of existing store to dog grooming parlour	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2639/18/FL
S/2685/18/PA	Barns 1/2 Cherry Tree Field, Shepreth Road, Shepreth Road Fowlmere SG8 6QU	Prior approval for a change of use of agricultural building to a 2 dwellinghouses and for associated operational development	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2685/18/PA
S/2689/18/DC	The Cedars, 26, South End, Bassingbourn Cum Kneesworth, Royston, Cambridgeshire, SG8 5NJ	Discharge of Conditions 3 (External Materials), 4 (Hard & Soft Landscaping), 5 (Boundary Treatment), 7 (Surface Water Drainage), 8 (Tree Protection), 9 (Ecological Enhancement), 10 (Archaeology), 11 (Contamination & Remediation), 13 (Bird Nest Boxes), 14 (Fire Hydrants), 15 (Finished Floor Levels) & 18 (Traffic Management Plan) of Planning Permission S/0331/15/FL	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2689/18/DC
S/2728/18/FL	Unit F2, Industrial Estate, Broad Lane, Cottenham, Cambridge, Cambridgeshire, CB24 8SW	Demolition of B8 Industrial units and erection of 9 residential units.	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2728/18/FL
S/2759/18/DC	Hangar 1, Skippers Lane, West Wickham, Cambridge, CB21 4SF	Discharge of conditions of planning permission S/3433/16/FL	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2759/18/DC
S/2765/18/LB	17, High Street, Bourn, Cambridge, CB23 2SQ	Repair and repoint existing chimney. Replace external concrete render with a lime base render. Remove a section of wall within the existing kitchen. Replace the front door. Reinststate front gate on existing posts.	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2765/18/LB
S/2769/18/FL	58, High Street, Great Shelford, Cambridge, Cambridgeshire, CB22 5EH	Demolition of current shed and replacement with a new shed	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2769/18/FL

S/2791/18/NM	18, St Thomas Close, Comberton, Cambridge, Cambridgeshire, CB23 7DN	Non Material Amendment of Planning Permission S/0114/18/FL	http://plan.scambs.gov.uk/rapid/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2791/18/NM
S/2796/18/NM	Land South Of, Longstanton Road, Oakington and Westwick, CB24 3AB	Non Material Amendment of Planning Permission S/2011/14/OL	http://plan.scambs.gov.uk/rapid/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2796/18/NM
S/2842/18/NM	36, High Street, Balsham, Cambridge, Cambridgeshire, CB21 4DJ	Non material amendment of planning permission S/0367/17/FL and listed building consent S/0368/17/LB	http://plan.scambs.gov.uk/rapid/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2842/18/NM
S/2880/18/DC	Sawston Trade Park and adjacent vacant land, A1301/London Road, Pampisford, CB22 3EE	Discharge of Condition 22 (Contamination & Remediation) (in relation to Unit H & the Decked Car Park) of Planning Permission S/2284/17/OL	http://plan.scambs.gov.uk/rapid/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2880/18/DC
S/2884/18/FL	32 Queensway, Sawston, Cambridge, Cambridgeshire, CB22 3DJ	Demolition garden room and erection of single storey rear extension.	http://plan.scambs.gov.uk/rapid/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2884/18/FL
S/2893/18/DC	Tenanted Agricultural land within the WI, Wimpole Estate, Arrington, Royston, SG8 0BW	Discharge of Condition 5 - (Badger Survey) of Planning Permission S/2214/17/FL	http://plan.scambs.gov.uk/rapid/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2893/18/DC
S/2894/18/LB	15 New Road, Haslingfield, Cambridgeshire, CB23 1LR	Insert a structural beam	http://plan.scambs.gov.uk/rapid/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2894/18/LB
S/2895/18/DC	53, Ermine Street, Caxton, Cambridge, Cambridgeshire, CB23 3PQ	Discharge of Conditions 3 (Materials) & 4 (Precise Details) of Planning Permission S/0181/16/LB	http://plan.scambs.gov.uk/rapid/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2895/18/DC
S/2897/18/DC	Land at Oakington Road, Cottenham	Discharge of Condition 18 (External Lighting) of Planning Permission S/1952/15/OL	http://plan.scambs.gov.uk/rapid/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2897/18/DC
S/2906/18/FL	57, Moorfield Road, Duxford, Cambridge, Cambridgeshire, CB22 4PP	Single storey rear extension, first floor extension over a portion of the garage	http://plan.scambs.gov.uk/rapid/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2906/18/FL
S/2907/18/DC	Land Off Mill Lane, Sawston, Cambridgeshire, CB22 3HY	Discharge of condition 20 Part B (Contamination) pursuant to planning permission S/1515/15/OL	http://plan.scambs.gov.uk/rapid/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2907/18/DC
S/2909/18/DC	Tenanted Agricultural land within the WI, Wimpole Estate, Arrington, Royston, SG8 0BW	Discharge of Condition 18 (Construction Environmental Management Strategy) of Planning Permission S/2214/17/FL	http://plan.scambs.gov.uk/rapid/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2909/18/DC
S/2910/18/DC	Former Monkfield Nutrition Site., Church Farm, High Street, Shingay Cum Wendy, SG8 0HJ	Discharge of conditions 13 (Contamination) and 21 (Written scheme of investigation) pursuant to planning permission S/2224/16/OL	http://plan.scambs.gov.uk/rapid/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2910/18/DC
S/2911/18/DC	5, Green Side, Waterbeach, Cambridge, Cambridgeshire, CB25 9HW	Discharge of Condition 3 (Air Conditioning Unit) of Planning Permission S/0701/18/FL	http://plan.scambs.gov.uk/rapid/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2911/18/DC

S/2912/18/DC	Land North of Bogs Gap Lane and adjacent	Discharge of conditions 3 (Hard and soft landscaping), 5 (materials), 6 (foul water drainage), 7 (Surface water drainage), 8 (Traffic management plan) and 17 (Scheme of biodiversity enhancement) pursuant to planning permission S/3897/17/FL.	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2912/18/DC
S/2918/18/FL	8, Pages Close, Histon, Cambridge, Cambridgeshire, CB24 9HF	Garage conversion to form annexe to rear of property.	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2918/18/FL
S/2921/18/PN	Whitefields, Hinton Way, Great Shelford, CB22 5AN	Prior notification of proposed demolition	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2921/18/PN
S/2922/18/PN	Poplar farm, Dry Drayton Road, Oakington	Prior notification of proposed demolition of two grain silos	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2922/18/PN
S/2925/18/FL	51, Hawthorne Road, Stapleford, Cambridge, Cambridgeshire, CB22 5DU	Two storey rear extension and single storey rear front & side extension	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2925/18/FL
S/2928/18/FL	Park House, 29, North Road, Whittlesford, Cambridge, Cambridgeshire, CB22 4NZ	Single storey rear extension and First floor extension	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2928/18/FL
S/2930/18/FL	3, Haddows Close, Longstanton, Cambridge, Cambridgeshire, CB24 3DJ	Demolition of existing bungalow and garage and construction of 5 No. dwellings	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2930/18/FL
S/2932/18/FL	Larch House, Coles Road, Milton, Cambridge, Cambridgeshire, CB24 6BL	Erection of a garage	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2932/18/FL
S/2933/18/FL	31, West Green, Barrington, Cambridge, Cambridgeshire, CB22 7RZ	New dwellinghouse	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2933/18/FL
S/2934/18/LB	31, West Green, Barrington, Cambridge, Cambridgeshire, CB22 7RZ	New dwellinghouse	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2934/18/LB
S/2937/18/DC	Manor House, High Street, Hildersham, Cambridge, Cambridgeshire, CB21 6BU	Discharge of conditions 3 (Details, specification and pictures of low level driveway lighting), 4 (Design, details and specification of metal gates), 5 (Construction statement, walls) and 6 (Sundial, photos and request and justification for removal) pursuant to planning listed building consent S/0141/18/LB	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2937/18/DC
S/2939/18/FL	34, High Street, Little Wilbraham, Cambridge, Cambridgeshire, CB21 5JY	Erection of a New Dwelling house	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2939/18/FL

S/2940/18/RM	Land South Of, Longstanton Road, Oakington, CB24 3AB	Reserved Matters for the remaining Earthworks in relation to Phase 2 for Landscaping and layout following outline planning permission S/2011/14/OL. An Environmental Impact Assessment was required at the time of the Outline submission and an Environmental Statement was submitted.	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2940/18/RM
S/2941/18/FL	Land North of Melbourn Science Park, Melbourn, Cambridgeshire	New office and technology research facilities	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2941/18/FL
S/2942/18/DC	Cambridge City Crematorium, Huntingdon Road, Dry Drayton, Cambridge, Cambridgeshire, CB3 0JJ	Discharge of condition 6 (Surface water drainage) pursuant to planning permission S/3237/17/FL	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2942/18/DC
S/2943/18/LD	4, Shelford Road, Whittlesford, Cambridge, Cambridgeshire, CB22 4PG	Certificate of lawful development for the construction of two outbuildings	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2943/18/LD
S/2945/18/DC	Tenanted Agricultural land within the WI, Wimpole Estate, Arrington, Royston, SG8 0BW	Discharge of Condition 7 (Preconstruction Programme) of Planning Permission S/2214/17/FL	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2945/18/DC
S/2946/18/FL	Land to the South and West of Kingston B, Kingston Barns, Bourn Road, Kingston, CB23 2NP	Retrospective Planning Application for use of land as amenity area ancillary to holiday let use of Kingston Barns, informal parking area	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2946/18/FL
S/2949/18/DC	Land off New Road, Melbourn, New Road, MELBOURN, SG8 6BY	Discharge of condition 5 (Plans indicating a minimum of 5m2 of dedicated amenity space) pursuant to planning permission S/2590/17/RM	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2949/18/DC
S/2950/18/DC	Workshop To The Rear Of 182, High Street, Cottenham, Cambridge, Cambridgeshire, CB24 8RX	Discharge of conditions 3 (Materials), 4 (Hard and soft landscaping), 6 (Written scheme of investigation) and 10 (Traffic management plan) pursuant to planning permission S/1707/15/FL	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2950/18/DC
S/2956/18/FL	42, Pepperslade, Thriplow, Cambridge, CB22 4XT	First floor extension over existing garage	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2956/18/FL
S/2959/18/FL	1, Town Close, Fulbourn, Cambridge, CB21 5DN	Proposed dwelling with detached double garage	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2959/18/FL
S/2965/18/FL	Old Orchard, High Street, Waterbeach, Cambridge, Cambridgeshire, CB25 9JU	Erection of a Conservatory	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2965/18/FL
S/2970/18/PA	Brownings Farm, Camps End, Castle Camps, Cambridge, Cambridgeshire, CB21 4TR	Prior approval of proposed change of use of agricultural building to dwellinghouse and for associated operational development	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2970/18/PA
S/2971/18/VC	Saxon House, 8 Saxon Way, Melbourn, SG8 6DN	Variation of condition 6 (Use of land) pursuant to planning permission S/1467/00/F	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2971/18/VC

S/2974/18/VC	18A, Church Close, Whittlesford, Cambridge, Cambridgeshire, CB22 4NY	Variation of condition 2 (approved plans) of planning consent S/2698/17/FL for new house in replacement of existing and site re-arrangement	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2974/18/VC
S/2975/18/TC	9, Drury Lane, Melbourn, Royston, Cambridgeshire, SG8 6EP	**5 Day Notice** Fell three dead trees.	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2975/18/TC
S/2976/18/DC	29, High Street, Great Shelford, Cambridge, Cambridgeshire, CB22 5EH	Discharge of Condition 3 (Tree Survey, Protection Plan & Arboricultural Method Statement) of Planning Permission S/1724/16/FL	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2976/18/DC
S/2977/18/DC	Land off New Road, Melbourn, SG8 6BY	Discharge of Condition 4 (Metal Railings) of Planning Permission S/2590/17/RM	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2977/18/DC
S/2978/18/FL	184, Cambridge Road, Great Shelford, Cambridge, Cambridgeshire, CB22 5JU	New double storey front and rear extension and roof re-construction	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2978/18/FL
S/2979/18/AD	Jaguar and Rover, Marshall, 699 , Newmarket Road, Fen Ditton, CB5 8SQ	2 X Internally Illuminated Replacement Panels To Both Sides Of Existing Pylon	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2979/18/AD
S/2980/18/DC	Land off New Road, Melbourn, SG8 6BY	Discharge of Condition 2 (Hard & Soft Landscaping) of Planning Permission S/2590/17/RM	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2980/18/DC
S/2983/18/TC	9, Drury Lane, Melbourn, Royston, Cambridgeshire, SG8 6EP	Trees: Copper Beech Robina Yew Tree Honey Tree Surgeons Ltd intend to conduct a crown reductions as stated within this application, namely comprising of a height/radial spread reduction of circa. The crowns of the trees to be reduced by one meter & a radial reduction of zero point five meters circa. In addition to crown reduction, all dead branches should be removed from the crown within the same time period.	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2983/18/TC
S/2985/18/TP	8, Gog Magog Way, Stapleford, Cambridge, Cambridgeshire, CB22 5BQ	T.1- Silver Birch - Remove major deadwood throughout whole crown area (Deadwood > 25mm in diameter) T.2 - Beech - Remove 1X lower branch growing into Larch. Beech branch has bark damage from interference with Larch. T.3 - Beech - Fell to ground level and remove all arisings dead tree T.4 - Acer - Fell to ground level and remove all arisings dead tree T.5 - Silver Birch - Remove major deadwood throughout whole crown area (Deadwood > 25mm in diameter)	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2985/18/TP

S/2986/18/TC	Verge on Babraham High Street opposite C, Wyndham House, High Street, Babraham, Cambridge, Cambridgeshire, CB22 3AG	Cedar reduce height of tallest stem by 4-4.5m shorten remainder of height and spread on all sides by 2-2.5m to create framework for future growth shape and balance Prunus in front garden reduce height down to previous pruning points Sycamore in rear garden Reduce height by 25% shape into remainder of canopy	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2986/18/TC
S/2987/18/TC	Tudor House, Catleys Walk, Sawston, Cambridge, Cambridgeshire, CB22 3HR	Yew and Holm Oak at front - cut back low branches hanging above roof to beyond edge of roof line	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2987/18/TC
S/2988/18/TC	The Maltings, 123, High Street, Balsham, Cambridge, Cambridgeshire, CB21 4EP	T1 Cherry Dead- Fell T2 Willow Reduce height by 8ft and shorten laterals to rebalance crown T3-T4 Birch Reduce height by 10-12ft T5 Birch Reduce height by 6ft and shorten laterals to rebalance crowns	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2988/18/TC
S/2989/18/TC	24, Lower Street, Thriplow, Royston, Cambridgeshire, SG8 7RJ	T1 - Chestnut tree on left of entrance to driveway - reduce in size by one third. Tree is diseased and if it falls over will crash into neighbouring houses. T2 - Chestnut tree on right of entrance to driveway - reduce in size by one third. Tree is diseased and if it falls over will crash into neighbouring houses.	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2989/18/TC
S/2993/18/TP	The Millers Halt, 6, Babraham Road, Sawston, Cambridge, Cambridgeshire, CB22 3DQ	Tree Works TPO Tree - Sycamore 50% Crown Reduction	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2993/18/TP
S/2994/18/FL	1, Medlar Lane, Cambourne, Cambridge, CB23 6FT	Single storey side extension	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2994/18/FL
S/2996/18/FL	132, Limes Road, Hardwick, Cambridge, Cambridgeshire, CB23 7XU	Single storey garage extension	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2996/18/FL
S/2998/18/FL	32, Station Road, Melbourn, SG8 6DX	Single Storey Extension	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/2998/18/FL
S/3001/18/TC	Manor Farm House, Manor Farm, Manor Road, Little Shelford, Cambridge, Cambridgeshire, CB22 5HF	1. Leyland cypress in corner of garden adjacent to neighbours drive - remove failed branches, to reduce remaining tall sections of tree to below lowest tear and leaving brushwood and firewood in situ 5a. Atlas Cedar to rear of Deodar Cedar - fell to ground level and clear brushwood 7. Large Ash close to Stables - crown reduce lateral spread by 3-5m, prune to clear roof by 2m, reduce height by 3-4m, remove major dead wood	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/3001/18/TC

S/3007/18/TC	5, Church Street, Thriplow, Royston, Cambridgeshire, SG8 7RE	**5 Day Notice** Fell walnut tree.**	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/3007/18/TC
S/3008/18/FL	23, Vicarage Avenue, Sawston, Cambridge, Cambridgeshire, CB22 3JT	Single storey rear extension	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/3008/18/FL
S/3015/18/NM	115, Frog End, Shepreth, Royston, SG8 6RF	Non material amendment of planning permission S/2555/17/FL	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/3015/18/NM
S/3020/18/FL	28, The Grove, Linton, Cambridge, CB21 4UH	Proposed lean-to front entrance porch and two-storey side extension	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/3020/18/FL
S/3021/18/TC	80, High Street, Oakington And Westwick, Cambridge, CB24 3AG	Laburnam to rear of Garage. Fell because of excessive shading and excessive size. Replacement trees: a. Salix b. Prunus - Snow showers c. Prunus d. Prunus Serrulia Tibetiga	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/3021/18/TC
S/3022/18/FL	77, Impington Lane, Impington, Cambridge, CB24 9NJ	Single storey rear extension	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/3022/18/FL
S/3025/18/TC	16, Dolphin Lane, Melbourn, Royston, Cambridgeshire, SG8 6AE	<p>Tree Works Conservation Area - Originally received as a 5 day notice to fell a Cherry Tree..</p> <p>I hereby give notice to remove a tree from the front garden of my house '16 Dolphin Lane, Melbourn, Herts SG8 6AE'.</p> <p>Information as requested:-</p> <p>Sketch Map - attached Fell Tree - Cherry Tree Danger? - The Tree is adjacent to the drive, part of the tree died (see images where part is now missing) and broke off onto the drive luckily no cars were on the drive at the time but this could of fallen and caused damage to property and injury to a person and even fallen onto Dolphin Lane. The tree is also encroaching on the roof of the garage and house and when it is windy it is very unnerving.</p> <p>Photo's - attached Ownership - I own the property that the tree is on.</p>	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/3025/18/TC

S/3027/18/TP	1 Selwyn Close and 78, High Street, Great Shelford, Cambridge, Cambridgeshire, CB22 5EH	TPO trees: overhanging 1 Selwyn Close from 78 High Street - all to be cut back to the fence line up to a height of 10 metres as they restrict light and use of the gardens. Lime (T1), Yew (T2), Lime (T3), Yew (T4), Yew (T5), Lime (T6), Yew (T7), Walnut (T8) Conservation Area Tree: rear garden of 1 Selwyn Close - Ash tree (T9) - Fell.	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/3027/18/TP
S/3028/18/TP	14, Mingle Lane, Great Shelford, Cambridge, Cambridgeshire, CB22 5BG	Norway Maple at front ~ To ensure good pedestrian clearance - raise crown to 3.5 metres all round, maintaining a natural canopy line.	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/3028/18/TP
S/3029/18/FL	52, North Road, Great Abington, Cambridge, CB21 6AS	Single storey extension	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/3029/18/FL
S/3031/18/FL	92, High Street, Great Abington, Cambridge, Cambridgeshire, CB21 6AE	Internal alterations and additional windows and doors	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/3031/18/FL
S/3036/18/FL	10, Drake Way, Impington, Cambridge, CB24 9BA	Single storey rear extension	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/3036/18/FL
S/3039/18/NM	18, Shirley Road, Histon, Cambridge, Cambridgeshire, CB24 9JR	Non Material Amendment of Planning Permission S/2944/17/FL	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/3039/18/NM
S/3041/18/FL	15, Huntsmill, Fulbourn, Cambridge, Cambridgeshire, CB21 5RH	Loft conversion and dormer extension	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/3041/18/FL
S/3046/18/TC	17, Middle Street, Thriplow, Royston, Cambridgeshire, SG8 7RD	(T1) Lime - remove to ground level due to overcrowding of maple below. (T2) Maple - reduce and shape by approximately 1.5 meters to maintain this tree in its current location.	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/3046/18/TC

S/3047/18/TC	Yew Tree Cottage, Six Mile Bottom Road, West Wrating, Cambridge, Cambridgeshire, CB21 5NE	<p>3 Ash Tree's in the rear garden of the property that require control and reduction (Please refer to map provided) but also referenced below: We enjoy these tree's and we will be happy to retain them but they require substantial Crown Control and reduction and they appear unsafe, overhanging the property. These tree's appear not to have ad any works carried out and are very mature. Tree 1: Large Ash Tree: Reduction up to 40% - Crown Reduction required around the tree diameter and height, to create a safer tree and opportunity for appropriate and controlled growth - tree currently substantially covers parts of the property. Tree 2: Ash Tree: Reduction by 20% - Crown Reduction to control tree and growth</p> <p>Tree 1: Large Ash Tree: Reduction up to 40% - Crown Reduction required around the tree diameter and height, to create a safer tree and opportunity for appropriate and controlled growth - tree currently covers parts of the property.</p>	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL_DisplayUrl?theApnID=S/3047/18/TC
S/3055/18/TC	Land Adj to The Willows, Dean Road, Bartlow, Cambridge, Cambridgeshire, CB21 4PS	<p>T1(in Blue), Holm Oak- crown lift lower branches(2m from ground) to allow more light in. Also reduce canopy by 20% as excessive shading. T2(in red) Chestnut- fell, over crowding of trees. T3(in green) Beach tree, crown lift 4m from base as allow more light. T4(in white) Willow, pollard down to 6M, allow more light into the pond and to bring under control, heavily stressed limbs. T5(in orange) two willow coppices, Re-coppice as going over road and out of control. T6(In pink) cherry, reduce by 30%, excessive shading.</p>	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL_DisplayUrl?theApnID=S/3055/18/TC
S/3067/18/FL	4, Wilderspin Close, Girton, Cambridge, Cambridgeshire, CB3 0LZ	Garage Conversion & Re-Roof Of Conservatory	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL_DisplayUrl?theApnID=S/3067/18/FL
S/3079/18/TC	17, Stokes Close, Longstanton, Cambridge, CB24 3FG	<p>To reduce the height of a row of trees - Sycamore, Ash, Field Maple and Elm trees mixed at the rear of garden by 5 metres. These trees stand approximately 10 metres tall. The reason for the works is that the trees are too tall and causing a lot of shadow over the garden and nothing underneath will grow</p>	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL_DisplayUrl?theApnID=S/3079/18/TC

S/3080/18/TP	1A, Park Lane, Histon, Cambridge, Cambridgeshire, CB24 9EH	Beech (T1) - Fell due to continued die back of crown with excessively worries the owner of the close neighbouring property. The tree also has a large wound at the base of the trunk. The tree is a group of three large Beech, the other two have good vigour and are closer to Park Lane, meaning the street view will change very minimally.	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/3080/18/TP
S/3081/18/TC	Old School Site,, 12, The Baulks, Sawston, Cambridge, Cambridgeshire, CB22 3NP	Prunus (T4) - reduce in height by 2m. Beech (T5) - fell, less than 2m away from the neighbouring property and so can not be left to grow to full maturity.	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/3081/18/TC
S/3082/18/TP	Impington Village College, New Road, Impington, Cambridge, Cambridgeshire, CB24 9LX	Please refer to Schedule of Work - IVC / 001. NOTE 1 : Please be aware that not all trees listed in the above Schedule of Work are necessarily covered by a Tree Preservation Order. NOTE 2 : Please note that trees T120 and T124 and in particular T228 are due to be felled on Wednesday 29 / 30 August, due to their condition and safe work timing opportunity due to school holidays.	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/3082/18/TP
S/3083/18/TP	Spike Playing Field, South Terrace, Sawston	Horse Chestnut (T1) - Fell due to the tree being in obvious decline and having some decay on the North & East side of the trunk.	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/3083/18/TP
S/3084/18/VC	29, Park Street, Dry Drayton, Cambridge, Cambridgeshire, CB23 8DA	Variation of condition 2 (Approved plans) pursuant to planning permission S/2350/17/FL	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/3084/18/VC
S/3096/18/FL	6, Shingay Road, Steeple Morden, Royston, Cambridgeshire, SG8 0PL	Erection of garage	http://plan.scambs.gov.uk/swift/ig/apas/run/WPHAPPDETAIL.DisplayUrl?theApnID=S/3096/18/FL