

| Weekly List of Planning Decisions | | | | | | |
|---------------------------------------|-----------------------|---|--|----------------------|---------------|---|
| | Application Reference | Location | Proposal | Decision description | Decision Date | Application Link |
| | | Northstowe Proposed Development Parcel To The North, Rampton Road, Longstanton | Non Material amendment of planning permission S/0045/18/FL | Approved | 21/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/4742/18/NM |
| Arrington CP | | | | | | |
| | S/3950/18/DC | Tenanted Agricultural land within the W1, Wimpole Estate, Arrington, Royston, SG8 0BW | Discharge of Condition 18 (Construction Environmental Management Plan) of Planning Permission S/2214/17/FL | Approved | 21/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/3950/18/DC |
| | S/4173/18/DC | Tenanted Agricultural land within the W1, Wimpole Estate, Arrington, Royston, SG8 0BW | Discharge of condition 11 (Materials) of planning permission S/2214/17/FL | Approved | 18/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/4173/18/DC |
| Balsham CP | | | | | | |
| | S/4031/18/DC | 7, High Street, Balsham, Cambridge, Cambridgeshire, CB21 4DJ | Discharge of Condition 11 (Drainage Maintenance Strategy) of planning permission S/1294/18/VC | Approved | 20/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/4031/18/DC |
| | S/4039/18/VC | Worsted Cottage, London Road Old A11, Babraham (Parish of Balsham), Cambridge, CB22 3AX | Removal of condition 1 (agricultural occupancy) of planning consent S/0158/88/D for one dwelling | Refused | 18/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/4039/18/VC |
| | S/4468/18/DC | 107, High Street, Balsham, Cambridge, Cambridgeshire, CB21 4EP | Discharge of conditions 3 (Materials) and 17 (WS1) of planning permission S/0460/17/FL | Refused | 20/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/4468/18/DC |
| Bar Hill CP | | | | | | |
| | S/4278/18/FL | 11, Robin Close, Bar Hill, Cambridge, Cambridgeshire, CB23 8DX | Proposed two storey, 2-bedroom dwelling on side garden of existing dwelling | Withdrawn | 19/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/4278/18/FL |
| Barrington CP | | | | | | |
| | S/4120/18/FL | Walnut Cottage, 14, Orwell Road, Barrington, Cambridgeshire, CB22 7SE | New vehicle access to serve both existing cottage and new dwelling approved under application S/1613/16/FL. | Withdrawn | 18/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/4120/18/FL |
| Bartlow CP | | | | | | |
| | S/3527/18/DC | The Dower House, Camps Road, Bartlow, Cambridge, Cambridgeshire, CB21 4PP | Discharge of Condition 5 (Tree Protection), 6 (Landscape) of planning permission S/4320/17/FL | Approved | 20/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/3527/18/DC |
| | S/3888/18/DC | The Dower House Barns, Camps Road, Bartl, Camps Road, Bartlow, CB21 4PP | Discharge of Conditions 3 (Landscape), 5 (foul water drainage), 6 (surface water drainage), 7 (traffic management), 8 (ecological), 9 (Arboricultural Method Statement, TPO), 10, 11 of planning permission S/0558/18/FL | Refused | 18/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/3888/18/DC |
| Barton CP | | | | | | |
| | S/4345/18/TC | 5, Comberton Road, Barton, Cambridge, Cambridgeshire, CB23 7BA | Willow - crown thin by removal of largest re-growths from each pollard head, retaining weeping canopy | Approved | 18/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/4345/18/TC |
| Bassingbourn cum Kneesworth CP | | | | | | |
| | S/1227/18/FL | 36, South End, Bassingbourn Cum Kneesworth, Royston, Cambridgeshire, SG8 5NJ | Demolition of existing caretakers home and erecting 4 No. Dwellings and new access | Refused | 21/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/1227/18/FL |

| | | | | | | |
|---------------------|--------------|--|--|---------------|------------|---|
| | S/2822/18/FL | 34, High Street, Bassingbourn Cum Kneesworth, Royston, Cambridgeshire, SG8 5LD | Replacement of bay windows - removal of wall coatings (internal and external) and replacement - replacement of existing secondary glazing, addition of secondary glazing in one location - levelling of floors - increased insulation throughout - insulating coatings on walls, increased insulation in loft and below floors - movement of boiler, including addition of external flue - change of mains water inlet position - movement and screening of oil tank - replacement of late 20th century shed (including power and water provision) - widening of driveway entrance - improvement in foundation drainage through gravel drains - addition of gate in "undercroft" to create enclosed space | Approved | 21/12/2018 | http://plan.scams.gov.uk/swiftlg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/2822/18/FL |
| | S/2823/18/LB | 34, High Street, Bassingbourn Cum Kneesworth, Royston, Cambridgeshire, SG8 5LD | Replacement of bay windows - removal of inappropriate wall coatings (internal and external) and replacement with correct wall coatings - replacement of existing secondary glazing, addition of secondary glazing in one location - levelling of floors - increased insulation throughout - insulating coatings on walls, increased insulation in loft and below floors - movement of boiler, including addition of external flue - change of mains water inlet position - movement and screening of oil tank - replacement of late 20th century shed (including power and water provision) - widening of driveway entrance - improvement in foundation drainage through gravel drains - addition of gate in "undercroft" to create enclosed space | Approved | 21/12/2018 | http://plan.scams.gov.uk/swiftlg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/2823/18/LB |
| | S/3203/18/FL | Pavilion, recreation Ground Bassingbourn, South End, Bassingbourn, HERTS, Near Royston, SG8 5NH | Demolition of the existing pavilion and build new structure to extended footprint granted under S/2998/15/FL | Approved | 21/12/2018 | http://plan.scams.gov.uk/swiftlg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/3203/18/FL |
| | S/3422/18/FL | Bassingbourn Barracks, Old North Road, Bassingbourn Cum Kneesworth, Royston, Cambridgeshire, SG8 5LX | Construction of a two-storey auditorium building, a single-storey training building, demolition of Building 33 together with associated infrastructure, landscaping, drainage, highway and parking enhancements. | Approved | 21/12/2018 | http://plan.scams.gov.uk/swiftlg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/3422/18/FL |
| | S/4453/18/TC | The Old Bakery, 35, Brook Road, Bassingbourn Cum Kneesworth, Royston, Cambridgeshire, SG8 5NR | Repollard of willow tree (Salix sp.) in the front garden of 35 Brook Road, back to the previous pollard points, as part of a maintenance program to maintain the longevity and health of the tree. The tree is the only major tree within the front garden of the property. The tree was most recently pollarded prior to the current occupants ownership around 2.5 to 3 years ago. | No Objections | 21/12/2018 | http://plan.scams.gov.uk/swiftlg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/4453/18/TC |
| | S/4491/18/TC | 29, Brook Road, Bassingbourn Cum Kneesworth, Royston, Cambridgeshire, SG8 5NR | Conifer (T.1) Fell and grind stump below ground level due to excessive shading to house window. Tree to be replanted as a replacement. | No Objections | 21/12/2018 | http://plan.scams.gov.uk/swiftlg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/4491/18/TC |
| Bourn CP | | | | | | |
| | S/4055/18/FL | 207, Alms Hill, Bourn, Cambridge, Cambridgeshire, CB23 2SZ | Retrospective loft extension | Refused | 19/12/2018 | http://plan.scams.gov.uk/swiftlg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/4055/18/FL |
| Caldecote CP | | | | | | |
| | S/3848/18/FL | 7, Dorral Dean, Highfields Caldecote, Caldecote, Cambridge, CB23 7ZW | Change of Use of part of detached garage into dog grooming area, for Dog grooming business | Approved | 20/12/2018 | http://plan.scams.gov.uk/swiftlg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/3848/18/FL |

| | | | | | | |
|-----------------------|--------------|--|---|---------------|------------|---|
| | S/4117/18/FL | Land at 28, Highfields Road, Highfields Caldecote, Caldecote, Cambridge, Cambridgeshire, CB23 7NX | Erection of 2 no. Semi Detached Dwellings | Refused | 19/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/4117/18/FL |
| | S/4346/18/TC | College Farm, Main Street, Caldecote, Cambridge, Cambridgeshire, CB23 7NU | Eucalyptus (T1) - fell because of excessive height and risk to adjacent high voltage power distribution lines Holly Oak (T2) - fell because of excessive shading and low amenity value. Field Maple (T3, T4, T5, T6) - fell because of excessive shading, growing into telephone wires and low amenity value. | No Objections | 18/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/4346/18/TC |
| Cambourne CP | | | | | | |
| | S/4187/18/FL | 13, Apley Way, Cambourne, Cambridge, CB23 6DF | Single storey rear extension | Approved | 19/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/4187/18/FL |
| Caxton CP | | | | | | |
| | S/4023/18/FL | 30, Bourn Road, Caxton, Cambridge, Cambridgeshire, CB23 3PP | Replacement dwelling and garage | Approved | 21/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/4023/18/FL |
| Comberton CP | | | | | | |
| | S/2608/18/FL | Comberton Post Office And Stores, 12, Barton Road, Comberton, Cambridge, Cambridgeshire, CB23 7BP | First floor rear extension of existing dwelling to form 2 additional dwellings | Refused | 20/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/2608/18/FL |
| | S/4378/18/TC | 8, South Street, Comberton, Cambridge, CB23 7DZ | (T1) Cedar - remove to ground level due to its close proximity to the house and overcrowding of the Silver Birch beside making this tree unsuitable for its location. | No Objections | 18/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/4378/18/TC |
| Cottenham CP | | | | | | |
| | S/2705/18/FL | Cottenham United Sports And Social Club, King George V Playing Fields, Lambs Lane, Cottenham, Cambridgeshire | Reconfiguration of the public play area to allow for the erection of a single storey, standalone nursery building, with additional car parking and access road modification. | Approved | 20/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/2705/18/FL |
| | S/4132/18/FL | 4, The Stables, Cottenham, Cambridge, Cambridgeshire, CB24 8QT | Single storey front extension | Approved | 21/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/4132/18/FL |
| | S/4402/18/TC | 213, High Street, Cottenham, Cambridge, Cambridgeshire, CB24 8RX | Purple Plum in far right hand corner of rear garden - remove dead wood, ivy and broken branches. Crown reduce by 2-3m to form a smaller crown. | No Objections | 18/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/4402/18/TC |
| | S/4452/18/TC | 25, Corbett Street, Cottenham, Cambridge, Cambridgeshire, CB24 8QX | Beech in front garden - crown reduce approximately 1.5m | No Objections | 21/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/4452/18/TC |
| Croxton CP | | | | | | |
| | S/4380/18/TP | Croxton Old Rectory, Cambridge Road, Croxton, PE19 6SU | TPO 0005 (1984) A21: Ref T1 horse chestnut to fell. | Approved | 18/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/4380/18/TP |
| Dry Drayton CP | | | | | | |
| | S/4101/18/FL | Church Farm, 2, Park Street, Dry Drayton, CB23 8BZ | Extension to rear of existing domestic garage to provide garden storage | Approved | 21/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/4101/18/FL |
| Duxford CP | | | | | | |
| | S/4320/18/TP | 16, St Peters Street, Duxford, CB22 4RP | TPO 0006 (1971) G5: Yew - (previously reduced) - Trim regrowth of approximately 1ft to leave shaped and balanced. Conservation Area: Silver Birch - Reduce to height of two smaller adjacent Birch, formatively prune and thin 10% remaining crown to leave at approximately 10.0 metres. Small Apple - Fell to ground level. | Approved | 18/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/4320/18/TP |

| | | | | | | |
|-----------------------|--------------|--|---|---------------|------------|---|
| | S/4323/18/TC | 21, Petersfield Road, Duxford, Cambridge, CB22 4SF | Cherry (T.1) Reduce lateral branches by approx 2.5M to re shape tree due to excessive light to front garden and house. | No Objections | 18/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theApplID=S/4323/18/TC |
| | S/4383/18/TP | 1, Highfield Bank, Ickleton Road, Duxford, Cambridge, Cambridgeshire, CB22 4RT | TPO 0006 (1971) G7: Beech at front of property - fell Reasons - slight lean towards house, crown dominant above roof of house, owner concerned about risk to property | Refused | 18/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theApplID=S/4383/18/TP |
| | S/4403/18/TP | 5, Chapel Street, Duxford, Cambridge, Cambridgeshire, CB22 4RJ | There are a 1 x cherry, 1 x pear and shrub (possibly a Philadelphus) in front lawn and an Elder, 4 x prunes on back boundary and a pear tree in back lawn to be removed and the stumps will be grinded down to ground level. | No Objections | 18/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theApplID=S/4403/18/TP |
| Fen Ditton CP | | | | | | |
| | S/4319/18/TC | 27A, High Street, Fen Ditton, Cambridge, Cambridgeshire, CB5 8ST | T1 LAWSON CYPRESS TO REMOVE DUE TO DAMAGE TO DRAINS. MAIN ROOT, MEASURING APPROXIMATELY 4 INCHES IN DIAMETER, ABUTTING WATER PIPE REVEALED DURING EXCAVATION BY DRAINAGE ENGINEER WHEN REPAIRING BURST WATER PIPE ADJACENT TO TREE. | No Objections | 18/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theApplID=S/4319/18/TC |
| Fen Drayton CP | | | | | | |
| | S/4081/18/TC | Croston, Church Street, Fen Drayton, Cambridge, Cambridgeshire, CB24 4SG | T 1 - Apple - Fell to ground level. Reason - In decline and shading the conservatory. T 2 - Apple - Fell to ground level. Reason - In decline and shading the conservatory. T 4 - Hornbeam - Reduce the height and width by up to 1.5m (AMENDMENT T3 Cedar removed from application as directed by the Agent) | No Objections | 19/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theApplID=S/4081/18/TC |
| | S/4324/18/TC | Manor House, Church Street, Fen Drayton, CB24 4SG | Eucalyptus tree - fell to ground level and treat the stump to prevent re-growth due to it causing subsidence damage to the neighbouring property: Stone Court, Church Street, Fen Drayton CB24 4SG | No Objections | 18/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theApplID=S/4324/18/TC |
| Fowlmere CP | | | | | | |
| | S/2916/18/FL | Queens Head, Long Lane, Fowlmere, Royston, Cambridgeshire, SG8 7SZ | Change of use to former public house to children's day nursery. Internal alterations to the building and, construction of new entrance porch at rear. Relocation of oil storage tank and provision of external play area. | Approved | 21/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theApplID=S/2916/18/FL |
| | S/2917/18/LB | Queens Head, Long Lane, FOWLMEERE, Royston, Cambridgeshire, SG8 7SZ | Change of use to former public house to children's day nursery. Internal alterations to the building and, construction of new entrance porch at rear. Relocation of oil storage tank and provision of external play area. | Approved | 21/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theApplID=S/2917/18/LB |
| | S/4053/18/FL | 56, Chapel Lane, Fowlmere, Royston, Cambridgeshire, SG8 7SD | Two storey rear and side extension, with balcony at first floor, single storey link extension and single storey porch extension | Refused | 19/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theApplID=S/4053/18/FL |
| | S/4349/18/TP | PC trees between Rycroft Land and numbers 6 to 9, Dove House Close, Fowlmere, Royston, SG8 7SE | TPO 0001 (1975) A38: Fell 4 dead elms (no tags visible) & T77 elm (all dead) & cut back any trees from road to edge of path and crown lift to 2.5m over path or 5m over road. | Approved | 18/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theApplID=S/4349/18/TP |
| Foxton CP | | | | | | |
| | S/3752/18/DC | 7-37 Station Road, Foxton, Cambridge, Cambridgeshire, CB22 6SA | Discharge of Conditions 15 (Traffic Management) ,22 (Noise disturbance and sources of dust) | Approved | 21/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theApplID=S/3752/18/DC |

| | | | | | | |
|--------------------|--------------|---|---|---------------|------------|---|
| | S/4093/18/DC | 1, The Green, Foxton, Cambridge, CB22 6ST | Discharge of conditions 3, 4 and 5 (Precise details) of listed building consent S/2755/18/LB | Approved | 19/12/2018 | http://plan.scams.gov.uk/submit/apas/run/WPHA_PPDETAIL_DisplayUri?theApnID=S/4093/18/DC |
| | S/4306/18/TP | Recreation Ground, Hardman Road, Foxton | Amended Specofocation: * Viewpoint 1: TPO 0002 (1974) A66: Ref G004 to crown lift to 4m over road or 2.5m over footpaths and driveways and clear around lamp post heads by 0.6m. * Viewpoint 2: TPO 0002 (1974) G6: Ref A009 & G003 to crown lift to 2.5m over footpaths and driveways & remove epicormic growth. * Viewpoint 3 & 4: No works. * Viewpoint 5: TPO 0002 (1974) A4: Ref A007 to crown lift to 4m over road or 2.5m over footpaths and driveways. & Conservation Area: T035 & T036 to crown lift to 2.5m. | Approved | 21/12/2018 | http://plan.scams.gov.uk/submit/apas/run/WPHA_PPDETAIL_DisplayUri?theApnID=S/4306/18/TP |
| | S/4340/18/TC | Land belonging to Church and adjoining 54, High Street, Foxton, Cambridge, Cambridgeshire, CB22 6RP | I wish to apply for consent under section 211 of the Town and Country Planning Act 1990 to cut down a walnut tree on land I rent from St Laurence's Church, Foxton which adjoins my property (54 High Street). The approximate position of the tree is shown with an X on the enclosed plan. I am intending to surrender my tenancy to the church shortly as the church intends to use the land as an extension to the churchyard (for which it will be applying for permission in due course) and I am required to remove this mature tree first. My property and this piece of land are now within the extended Conservation Area of Foxton, and hence my application. I planted this tree as a sapling about 25 years ago and it is now full grown and very large. | No Objections | 18/12/2018 | http://plan.scams.gov.uk/submit/apas/run/WPHA_PPDETAIL_DisplayUri?theApnID=S/4340/18/TC |
| Fulbourn CP | | | | | | |
| | S/4341/18/TC | 2, The Chantry, Fulbourn, Cambridge, Cambridgeshire, CB21 5EJ | Sorbus - fell | No Objections | 18/12/2018 | http://plan.scams.gov.uk/submit/apas/run/WPHA_PPDETAIL_DisplayUri?theApnID=S/4341/18/TC |
| | S/4376/18/TC | 4, Apthorpe Street, Fulbourn, Cambridge, Cambridgeshire, CB21 5EY | 1. Alder tree growing between garage and boundary wall to adjoining property (2 Apthorpe Street). Tree is leaning against garage and is causing movement to garage structure. Tree to be completely removed. 2. Dead Cherry tree in garden of 4 Apthorpe Street. Tree to be completely removed. | No Objections | 18/12/2018 | http://plan.scams.gov.uk/submit/apas/run/WPHA_PPDETAIL_DisplayUri?theApnID=S/4376/18/TC |
| | S/4456/18/TP | 24, Home End, Fulbourn, Cambridge, Cambridgeshire, CB21 5BS | TPO 0008 (1963) T34: App ref T4 Acer pseudoplatanus (Sycamore) Clear phone wire by approximately 50cm. Conservation Area: T1 Fagus sylvatica (Beech) Remove branch with swing as the stem has been compromised by the rope chain. Also remove three small dead branches above. Crown lift over road 5-6m and 3m over pavement. T2 Acer pseudoplatanus (Sycamore) Undertake a crown reduction to clear the street lamp and reduce crown on kerb edge from ground level up to 5-6m to allow lorry access and clear phone wires by approximately 50cm. T3 Acer pseudoplatanus (Sycamore) Clear phone wire by approximately 50cm. | Approved | 21/12/2018 | http://plan.scams.gov.uk/submit/apas/run/WPHA_PPDETAIL_DisplayUri?theApnID=S/4456/18/TP |

| | | | | | | |
|---------------------------|--------------|---|--|---------------|------------|---|
| | S/4459/18/TC | 10, Balsham Road, Fulbourn, Cambridge, Cambridgeshire, CB21 5BZ | T1 Malus var.(Blenheim Orange Apple) To reduce the crown by removal of 3-4m of re-growth from tree. Remove any dead wood and thin out the retained crown where required. | No Objections | 21/12/2018 | http://plan.scambs.gov.uk/swiftlg/apas/run/WPHA_PPDETAIL_DisplayUri?theApnlD=S/4459/18/TC |
| | S/4465/18/TC | 7, Station Road, Fulbourn, Cambridge, CB21 5ER | T1 Taxus baccata (Yew) To reduce by 1 - 1.5m leaving as a dome (apply for rolling consent to trim with a hedge cutter thereafter) T2 Ilex aquifolium (Holly) Remove and treat stump with a licensed herbicide. | No Objections | 21/12/2018 | http://plan.scambs.gov.uk/swiftlg/apas/run/WPHA_PPDETAIL_DisplayUri?theApnlD=S/4465/18/TC |
| Gamlingay CP | | | | | | |
| | S/0755/18/LD | 106, Station Road, GAMLINGAY, SG19 3HB | Lawful Development Certificate of existing use of annex as a single dwelling house | Approved | 20/12/2018 | http://plan.scambs.gov.uk/swiftlg/apas/run/WPHA_PPDETAIL_DisplayUri?theApnlD=S/0755/18/LD |
| Grantchester CP | | | | | | |
| | S/4489/18/TC | 38, High Street, Grantchester, Cambridge, Cambridgeshire, CB3 9NF | Willow and shrub adjacent - reduce height down to 3m high, reduce spread to edge of footpath and shape round Robinia - remove dead creeper in crown, trim round lightly to re-shape following poor pruning | No Objections | 21/12/2018 | http://plan.scambs.gov.uk/swiftlg/apas/run/WPHA_PPDETAIL_DisplayUri?theApnlD=S/4489/18/TC |
| | S/4490/18/TC | 18, High Street, Grantchester, Cambridge, Cambridgeshire, CB3 9NF | Weeping Willow - re-pollard Row of Lime trees - re-pollard Catalpa - reduce length of very long lateral limb over roof of the adjacent building by 4m, crown lift other branches touching the roof to clear 2m | No Objections | 21/12/2018 | http://plan.scambs.gov.uk/swiftlg/apas/run/WPHA_PPDETAIL_DisplayUri?theApnlD=S/4490/18/TC |
| Great Abington CP | | | | | | |
| | S/3755/18/FL | 26, South Road, Great Abington, Cambridge, Cambridgeshire, CB21 6AU | Construction of one dwelling | Approved | 21/12/2018 | http://plan.scambs.gov.uk/swiftlg/apas/run/WPHA_PPDETAIL_DisplayUri?theApnlD=S/3755/18/FL |
| Great Shelford CP | | | | | | |
| | S/3937/18/DC | 6, Red Hill Close, Great Shelford, Cambridge, Cambridgeshire, CB22 5JP | Discharge condition 7 (Traffic Management Plan) of planning permission S/3885/17/FL | Approved | 19/12/2018 | http://plan.scambs.gov.uk/swiftlg/apas/run/WPHA_PPDETAIL_DisplayUri?theApnlD=S/3937/18/DC |
| | S/4322/18/TC | 82, High Street, Great Shelford, Cambridge, Cambridgeshire, CB22 5EH | 2 x Horse Chestnut trees ~ Reduce 3 to 4 limbs overhanging garden of 10A Church Street, Great Shelford, by approximately 1.0 / 1.5 metres. | No Objections | 18/12/2018 | http://plan.scambs.gov.uk/swiftlg/apas/run/WPHA_PPDETAIL_DisplayUri?theApnlD=S/4322/18/TC |
| | S/4360/18/DC | 11 Cambridge Road, Great Shelford, Cambridge, CB22 5JE | Discharge of Conditions 3(Protection of Species), 4(Traffic Management) & 5(Archaeology & Arboricultural Method)of ~Planning Application S.3264.18.FL - Replacement dwelling and the erection of two additional dwellings | Approved | 17/12/2018 | http://plan.scambs.gov.uk/swiftlg/apas/run/WPHA_PPDETAIL_DisplayUri?theApnlD=S/4360/18/DC |
| | S/4497/18/TP | Tree on the Elms Ave side of Norfolk House, 2, Tunwells Lane, Great Shelford, Cambridge, Cambridgeshire, CB22 5LJ | TPO 0003 (1958) T6: Ash tree to either: 1. Applicant cuts the lowest branch that is overhanging my property and hitting my guttering; 2. A qualified treesurgeon removes the lowest branch that is overhanging my property and hitting my guttering; or 3. A qualified tree surgeon prunes the whole tree (it is quite big and I don't want it blowing over and damaging my property (wall and/or house). | Refused | 21/12/2018 | http://plan.scambs.gov.uk/swiftlg/apas/run/WPHA_PPDETAIL_DisplayUri?theApnlD=S/4497/18/TP |
| Great Wilbraham CP | | | | | | |
| | S/3920/18/FL | 2, Toft Way, Great Wilbraham, Cambridge, Cambridgeshire, CB21 5JJ | Proposed two-storey side and rear extension | Approved | 19/12/2018 | http://plan.scambs.gov.uk/swiftlg/apas/run/WPHA_PPDETAIL_DisplayUri?theApnlD=S/3920/18/FL |
| | S/4325/18/TC | 17, High Street, Great Wilbraham, Cambridge, CAMBRIDGESHIRE, CB21 5JD | T1 & T2 - Maple - Reduce to previous reduction points (approximately 6-8ft all round | No Objections | 18/12/2018 | http://plan.scambs.gov.uk/swiftlg/apas/run/WPHA_PPDETAIL_DisplayUri?theApnlD=S/4325/18/TC |
| Guilken Morden CP | | | | | | |

| | | | | | | |
|------------------------|--------------|---|--|---------------|------------|---|
| | S/4487/18/TC | One Birch Tree adj and rear of 27a and also one Ash Tree adj to 31, Church Street, Guilden Morden, Royston, SG8 0JD | Ash tree: To reduce from an existing crown height and diameter of approximately 45 feet and 30 feet (13.5m & 9m) to approximately 36 feet and 24 feet (11m & 7m) (due to touching the overhead phone lines & concerns over the size of the tree canopy). NB: Ownership of the Ash tree is not known. Silver birch tree to fell (due to damage being caused to adjacent oil tank). | No Objections | 19/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/4487/18/TC |
| | S/4541/18/TP | Guilden Morden Community Pub Ltd, Three Tuns - 30, HIGH STREET, GUILDEN MORDEN, ROYSTON, Cambridgeshire, SG8 0JP | Tree Works are (AMENDED): <ul style="list-style-type: none"> • T1 Ash, T3 Elm and T4 Elm to fell (all dead); • T5 Multi stemmed Ash to remove one stem with cavity; • T6 Sycamore, T10 Sycamore, T13 Multi stemmed Horse Chestnut, T14 Lombardi Poplar, T25 Horse Chestnut, T23 Sycamore and T18 Elder to fell; • T17 Sycamore and T19 Walnut to crown lift to 3m; and • T2 multi stemmed Ash, T7 Sycamore, T8 Sycamore, T9 Sycamore, T11 Sycamore, T12 Sycamore, T15 Sycamore, T20 Walnut, T21 Horse Chestnut, T22 Sycamore and T24 Sycamore to crown lift to 4m. | No Objections | 20/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/4541/18/TP |
| Hardwick CP | | | | | | |
| | S/4343/18/TC | 8, Sadlers Close, Hardwick, Cambridge, Cambridgeshire, CB23 7YE | T1 and T2 Blackthorn trees to be removed to increase light into area and improve establishment of young trees in field. | No Objections | 20/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/4343/18/TC |
| Harlton CP | | | | | | |
| | S/4224/18/DC | Land at the Corner of Long Brook, Washpit Lane, HARLTON, CB23 1EY | Discharge of condition 3 (foul water drainage), 4 (surface water drainage) and 5 (external lightning) of planning application S/1085/18/FL | Approved | 21/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/4224/18/DC |
| Harston CP | | | | | | |
| | S/4306/18/TP | Recreation Ground, Hardman Road, Foxton | Amended Specofocation: <ul style="list-style-type: none"> * Viewpoint 1: TPO 0002 (1974) A66: Ref G004 to crown lift to 4m over road or 2.5m over footpaths and driveways and clear around lamp post heads by 0.6m. * Viewpoint 2: TPO 0002 (1974) G6: Ref A009 & G003 to crown lift to 2.5m over footpaths and driveways & remove epicormic growth. * Viewpoint 3 & 4: No works. * Viewpoint 5: TPO 0002 (1974) A4: Ref A007 to crown lift to 4m over road or 2.5m over footpaths and driveways. & Conservation Area: T035 & T036 to crown lift to 2.5m. | Approved | 21/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/4306/18/TP |
| Haslingfield CP | | | | | | |
| | S/3880/18/FL | 4, Knapp Rise, Haslingfield, Cambridge, Cambridgeshire, CB23 1LQ | Detached Garage within existing rear garden | Approved | 21/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/3880/18/FL |
| Hatley CP | | | | | | |
| | S/3190/18/DC | The Church of St Denis, East Hatley, Sandy, Cambridgeshire, SG19 3JA | Discharge of Condition 7 (Written Records of Floor) of Planning Permission S/1703/17/LB | Approved | 18/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/3190/18/DC |
| Hauxton CP | | | | | | |
| | S/3703/18/DC | Recreation Ground, Recreation Ground, Church Road, Hauxton | Discharge of condition 9 (Traffic Management plan), 15 (Ventilation, heating, cooling and extraction) and 18 (Surface water drainage) of planning permission S/2942/17/FL | Approved | 21/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/3703/18/DC |

| | | | | | | |
|----------------------|--------------|--|---|---------------|------------|---|
| | S/3757/18/VC | Recreation Ground, Church Road, Hauxton, Cambs | Variation of conditions 13 (use of amplification) and 15 (Ventilation, heating, cooling and extraction) of planning permission S2942/17/FL | Approved | 21/12/2018 | http://plan.scams.gov.uk/switchg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/3757/18/VC |
| | S/4002/18/DC | Land at Desmonds Close, Hauxton, Cambridgeshire | Discharge of Conditions 3 (contamination, 8 (Landscaping) & 13 (external Lightning of planning permission S/1739/18/VC | Refused | 18/12/2018 | http://plan.scams.gov.uk/switchg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/4002/18/DC |
| Hildersham CP | | | | | | |
| | S/4342/18/TC | Garden House, High Street, Hildersham, Cambridge, Cambridgeshire, CB21 6BU | Sycamore - shorten over extended limbs in lower crown to shape and balance following the removal of large defective limb | No Objections | 18/12/2018 | http://plan.scams.gov.uk/switchg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/4342/18/TC |
| | S/4454/18/TC | Thuya House, High Street, Hildersham, Cambridge, Cambridgeshire, CB21 6BU | T9 - Acer pseudoplatanus (sycamore) Fell to ground level. Over mature sycamore with basal cavity and decay. The tree has recently lost numerous large limbs and has historically lost main scaffold limbs leaving potential failure points. The tree has been braced in the past; however it is now considered appropriate to fell and consider replacement planting as part of planned landscaping works in the site. The tree has limited public amenity to its position at the rear of the property behind other mature trees. | No Objections | 21/12/2018 | http://plan.scams.gov.uk/switchg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/4454/18/TC |
| Hinxton CP | | | | | | |
| | S/4377/18/TC | 16, Duxford Road, Hinxton, Saffron Walden, CB10 1RB | Cherry - 40% Crown Reduction and remove ivy. Sliver Birch - Remove as tree is causing damage to pathway/paving. | No Objections | 18/12/2018 | http://plan.scams.gov.uk/switchg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/4377/18/TC |
| Histon CP | | | | | | |
| | S/4049/18/FL | 42, Parlour Close, Histon, Cambridge, Cambridgeshire, CB24 9XR | Conversion of garage to habitable space & ground floor extension to the front | Approved | 21/12/2018 | http://plan.scams.gov.uk/switchg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/4049/18/FL |
| Horningsea CP | | | | | | |
| | S/3117/18/FL | Eye Hall Farm, Clayhithe Road, Horningsea, Cambridge, Cambridgeshire, CB25 9JD | Conversion of brick / timber partially open fronted 'L' shaped cart sheds to form 2no. holiday rental units; 1no. 1 bed unit and 1no. 2 bed unit. | Approved | 21/12/2018 | http://plan.scams.gov.uk/switchg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/3117/18/FL |
| | S/3118/18/LB | Eye Hall Farm, Clayhithe Road, Horningsea, Cambridge, Cambridgeshire, CB25 9JD | Submission relates to the conversion of brick / timber partially open fronted 'L' shaped cart sheds to form 2no. holiday rental units; 1no. 1 bed unit and 1no. 2 bed unit. | Approved | 21/12/2018 | http://plan.scams.gov.uk/switchg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/3118/18/LB |
| Ickleton CP | | | | | | |
| | S/4124/18/FL | 66, Frogge Street, Ickleton, Saffron Walden, CB10 1SH | Conversion of garage to habitable use and construction of single storey front link extension to garage. | Approved | 18/12/2018 | http://plan.scams.gov.uk/switchg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/4124/18/FL |

| | | | | | | |
|---------------------------|--------------|--|---|---------------|------------|---|
| | | | value and unhealthy. Struggling in close proximity to nearby cypresses and hampering their own growth. Cypress (B) - fell. Low amenity value. Too close to magnolia, and hampering its growth. Blocking sight-line to impressive cedar. Cypress (C) - fell. Low amenity value and struggling in proximity to other trees. Too close to magnolia; hampering its growth and blocking significant amount of light to it. Blocking sightline to cedar. The main objective for the works to trees A to C is to reduce overcrowding of cypresses, allowing greater access of light to healthy trees and to a magnolia that is being crowded out; and to improve visibility of impressive cedar tree, which is currently almost completely obscured. The trees being removed are the least healthy of the trees in this part of the garden, and are struggling to compete in close proximity to larger more successful trees. Laburnum (D) - fell. Rotten at base, trunk | No Objections | 18/12/2018 | http://plan.scams.gov.uk/submit/apas/run/WPHA_PPDETAIL_DisplayUri?theApnID=S/4404/18/TC |
| Impington CP | S/4404/18/TC | Tree Works Conservation Area | | | | |
| | S/4113/18/FL | 36, Villa Road, Impington, Cambridge, CB24 9NZ | Single storey rear extension | Approved | 21/12/2018 | http://plan.scams.gov.uk/submit/apas/run/WPHA_PPDETAIL_DisplayUri?theApnID=S/4113/18/FL |
| Knapwell CP | | | | | | |
| | S/4321/18/TC | Manor Farm, High Street, Knapwell, Cambridge, Cambridgeshire, CB23 4NR | (T1-T8) 8no. Willows surrounding pond - Pollard to previous pruning points (T9&10) 2no. Individual willows - Pollard at 3ms to match other pollarded willows (T11) Holm Oak - Prune to clear house by 2ms | No Objections | 18/12/2018 | http://plan.scams.gov.uk/submit/apas/run/WPHA_PPDETAIL_DisplayUri?theApnID=S/4321/18/TC |
| Linton CP | | | | | | |
| | S/3363/18/FL | Chilford Hall, Balsham Road, Linton, Cambridge, Cambridgeshire, CB21 4LE | Use of site for marquee and associated development | Approved | 19/12/2018 | http://plan.scams.gov.uk/submit/apas/run/WPHA_PPDETAIL_DisplayUri?theApnID=S/3363/18/FL |
| | S/3771/18/FL | Windmill House, Long Lane, Linton, Cambridge, CB21 4NS | Conversion of windmill and granary to 3 No. holiday lets and comprising insertion of rooflights to west elevation. Creation of additional parking area. Conversion of existing holiday let (building range to south of windmill) to residential annexe ancillary to main dwelling. | Refused | 20/12/2018 | http://plan.scams.gov.uk/submit/apas/run/WPHA_PPDETAIL_DisplayUri?theApnID=S/3771/18/FL |
| | S/3772/18/LB | Windmill House, Long Lane, Linton, Cambridge, CB21 4NS | Conversion of windmill and granary to 3 No. holiday lets and comprising insertion of rooflights to west elevation. Creation of additional parking area. Conversion of existing holiday let (building range to south of windmill) to residential annexe ancillary to main dwelling. | Refused | 20/12/2018 | http://plan.scams.gov.uk/submit/apas/run/WPHA_PPDETAIL_DisplayUri?theApnID=S/3772/18/LB |
| | S/3979/18/FL | 8, Cherry Close, Linton, Cambridge, Cambridgeshire, CB21 4UE | Retrospective- Large shed/ room at rear of the garden | Approved | 17/12/2018 | http://plan.scams.gov.uk/submit/apas/run/WPHA_PPDETAIL_DisplayUri?theApnID=S/3979/18/FL |
| | S/3989/18/DC | Little Linton House, Little Linton Farm, Cambridge Road, Linton, Cambridge, Cambridgeshire, CB21 4JD | Discharge of Conditions 3 (archeological works) 4 and 5 (foul and surface water drainage) of planning permission S/0615/18FL | Approved | 19/12/2018 | http://plan.scams.gov.uk/submit/apas/run/WPHA_PPDETAIL_DisplayUri?theApnID=S/3989/18/DC |
| | S/4318/18/TC | 3, Mill Lane, Linton, Cambridge, Cambridgeshire, CB21 4JY | Robinia Crown lift by 1-1.5m crown reduce to clear roof of house by 1m clean out deadwood | No Objections | 18/12/2018 | http://plan.scams.gov.uk/submit/apas/run/WPHA_PPDETAIL_DisplayUri?theApnID=S/4318/18/TC |
| Litlington CP | | | | | | |
| | S/4114/18/FL | Ramscroft, Ramscroft, Malting Lane, Litlington, Royston, SG8 0QT | Two storey rear and two storey front extension and changes to elevations | Approved | 19/12/2018 | http://plan.scams.gov.uk/submit/apas/run/WPHA_PPDETAIL_DisplayUri?theApnID=S/4114/18/FL |
| Little Eversden CP | | | | | | |

| | | | | | | |
|----------------------------|--------------|---|--|---------------|------------|---|
| | S/4368/18/PA | 36, Harlton Road, Little Eversden, Cambridge, CB23 1HB | Notification for prior approval for a single storey rear extension | Refused | 19/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theApnID=S/4368/18/PA |
| Little Shelford CP | | | | | | |
| | S/3987/18/FL | 57, Hauxton Road, Little Shelford, Cambridge, CB22 5HJ | Single storey rear extension | Approved | 21/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theApnID=S/3987/18/FL |
| Little Wilbraham CP | | | | | | |
| | S/4001/18/LD | Streetways, Wilbraham Road, Six Mile Bottom, Little Wilbraham, Newmarket, CB8 0UW | Certificate of Lawful development for a proposed erection of 2m fence at rear/side of garden | Approved | 17/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theApnID=S/4001/18/LD |
| Longstanton CP | | | | | | |
| | S/3624/18/FL | 6, St Michaels, Longstanton, Cambridge, Cambridgeshire, CB24 3BZ | Erection of new detached dwelling and alterations to the existing dwelling and new vehicular access. | Approved | 19/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theApnID=S/3624/18/FL |
| | S/3828/18/NM | Land Parcel H3, Northstowe (Phase 1), Off Station Road, Longstanton | Non material amendment of planning permission S/2776/16/RM | Approved | 19/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theApnID=S/3828/18/NM |
| | S/4078/18/TP | 3, Thatchers Wood, Longstanton, Cambridge, Cambridgeshire, CB24 3BX | Horse chestnut tree, to lift lower branches to allow light, coppice third from the top, and bring in tight outer branches. Take off left leaning branch as causing split in main trunk. | Refused | 18/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theApnID=S/4078/18/TP |
| | S/4381/18/TC | St Michaels House, St Michaels, Longstanton, Cambridge, CB24 3BZ | T1 self-set multi-stemmed Sycamore: Fell to ground level due to domination of this area of garden and reduced view of the church from the house | No Objections | 18/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theApnID=S/4381/18/TC |
| Madingley CP | | | | | | |
| | S/4112/18/TC | Madingley Hall, Church Lane, Madingley, Cambridge, Cambridgeshire, CB23 8AQ | Statement attached for the background to the proposed works and split of consents required between the Forestry Commission and South Cambs District Council. b. The Works Schedule attached for further detail in respect of the individual works proposed and rationale for them. c. Plan One attached for the location of trees identified with tag numbers. d. Plan Two attached for the location of trees with no tags identified with letters. This application relates to the following works on the following trees: 1. Walnut tree in garden of the Lodge, no tag, marked "D" on Plan Two. c.150mm DBH and c. 10m high. Fell tree. 2. Horse Chestnut, tag 103, c 15m high and c. 900mm DBH. Remove major limb on SW side of tree located at c. 4m above ground level back to the main stem. 3. Ash, tag 132, c. 20m high and c. 600mm DBH. Remove major lower limb located c. 1m above ground level back to main stem. 4. Beech, twin stemmed, | No Objections | 18/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theApnID=S/4112/18/TC |
| | S/4305/18/TC | Avenue House, High Street, Madingley, Cambridge, Cambridgeshire, CB23 8AB | T1 - Silver Birch, Fell and remove tree and replace with laurel tree for more screening | No Objections | 18/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theApnID=S/4305/18/TC |
| Melbourn CP | | | | | | |
| | S/4258/18/VC | 45, Water Lane, Melbourn, Royston, Cambridgeshire, SG8 6AZ | Removal of Condition 11 (car parking spaces) of planning consent S/2870/18/FL for erection of detached dwellinghouse | Approved | 19/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theApnID=S/4258/18/VC |
| Meldreth CP | | | | | | |
| | S/2268/18/FL | The Coppice, 25, North End, Meldreth, Royston, Cambridgeshire, SG8 6NR | Remodel existing first floor and roof and retain ground floor. Extend first floor, change roof, alter front elevation, internal alterations and rear and side ground floor extension and new orangery | Approved | 19/12/2018 | http://plan.scams.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theApnID=S/2268/18/FL |

| | | | | | | |
|-----------------------------|--------------|---|---|---------------|------------|---|
| | S/2939/16/FL | Land Between Burtons and West Way, Off Whaddon Road, Meldreth, Royston, Cambridgeshire, SG8 6NQ | Residential development to provide affordable housing comprising 4no 2 bedroom flats and 1no 2 bed detached bungalow. Access road, residents & visitors parking and open space | Approved | 18/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/2939/16/FL |
| Milton CP | | | | | | |
| | S/4423/18/TC | 26, Church Lane, Milton, Cambridgeshire, CB24 6AB | Fell two ornamental conifers that have greatly overgrown, and are damaging an adjacent fence. Also one of the trees is close to the house, with concern that the roots may eventually damage the foundations. The trees are of no amenity value: it is not intended to replant, as there are many other (deciduous and coniferous) trees on the property. | No Objections | 18/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/4423/18/TC |
| Orwell CP | | | | | | |
| | S/4181/18/DC | 19, High Street, Orwell, Royston, SG8 5QN | Discharge of Condition 3 (Arboricultural Method Statement & Tree Protection) of Planning Permission S/2386/18/FL | Approved | 20/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/4181/18/DC |
| Sawston CP | | | | | | |
| | S/3806/18/DC | Former Marley Building, Materials Ltd, West Way, Dales Manor Business Park, Sawston, CB22 4TJ | Discharge of Conditions 27 (Heavy Goods Vehicles Routing Scheme) & 28 (Travel Plan) of Planning Permission S/3313/18/VC | Approved | 21/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/3806/18/DC |
| | S/3897/18/FL | 7, Stanley Webb Close, Sawston, Cambridge, CB22 3FE | Infill carport below first floor extension | Approved | 20/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/3897/18/FL |
| | S/4274/18/DC | Former Marley Building, Materials Ltd, West Way, Sawston, Dales Manor Business Park, CB22 4TJ | Discharge of condition 18 of planning permission S/3313/18/VC | Approved | 21/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/4274/18/DC |
| | S/4350/18/TC | 7, Hammonds Road, Sawston, Cambridge, Cambridgeshire, CB22 3BH | Japanese Red Cedar tree to be removed as it is dying (see photos). Replace with new tree. | No Objections | 18/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/4350/18/TC |
| Shingay cum Wendy CP | | | | | | |
| | S/3805/18/FL | 3, New Shingay, Shingay Cum Wendy, Royston, Cambridgeshire, SG8 0HP | Single storey rear extension | Approved | 21/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/3805/18/FL |
| South Trumpington CP | | | | | | |
| | S/3395/18/FL | Local Centre, Trumpington Meadows, Cams | Erection of Public Art Sculpture | Approved | 20/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/3395/18/FL |
| Steeple Morden CP | | | | | | |
| | S/3492/18/LB | 67, Hay Street, Steeple Morden, Royston, Cambridgeshire, SG8 0PD | Single storey rear extension | Approved | 20/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/3492/18/LB |
| | S/3692/18/FL | 67, Hay Street, Steeple Morden, Royston, Cambridgeshire, SG8 0PD | Single storey rear extension | Approved | 20/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/3692/18/FL |
| Stow cum Quy CP | | | | | | |
| | S/4474/18/TP | Tree behind 2 Herrings Close and between No 2-12 and 14, Vicarage Meadow, Stow Cum Quy, Cambridge, CB25 9AL | TPO 0036 (2002) G1: Storm damaged Lime located in the communal car park behind No.6 Vicarage Meadow. To structurally pollard the Lime to balance the current damaged crown & reduce the likelihood of failure of the heavily, over-extended limbs in future. The tree is a small semi mature specimen, currently approximately 18ft in height. Following the proposed works, it'll be retained at approximately 12ft tall and laterally reduced accordingly to leave a balanced crown. All works will be carried out to current best arboricultural practice. | Approved | 21/12/2018 | http://plan.scams.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUri?theApnID=S/4474/18/TP |

| | | | | | | |
|----------------------|--------------|---|--|---------------|------------|---|
| Swavesey CP | | | | | | |
| | S/2900/18/RM | 18, Boxworth End, Swavesey, Cambridge, Cambridgeshire, CB24 4RA | Approval of matters reserved for appearance, landscaping, layout & scale following outline planning permission S/0875/15/OL for 30 new dwellings comprising new dwellings comprising 18 market and 12 affordable units plus open space, children's play area and landscaping the outline application was not an environment impact assessment. | Approved | 19/12/2018 | http://plan.scambs.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/2900/18/RM |
| | S/4057/18/FL | WHITE WILLOWS, HALE ROAD, SWAVESEY, CB24 4QP | Proposed new dwelling and garage (alternative design to permission S/0495/17/FL) | Approved | 19/12/2018 | http://plan.scambs.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/4057/18/FL |
| | S/4562/18/DC | Land south of Fen Drayton Road, Swavesey, Cambs | Discharge of conditions 7 (Phasing of construction), 8 (Contamination), 9 (Foul water drainage), 10 (Surface water drainage), 11 (Energy), 12 (Electric vehicle charging points), 13 (Guided busway), 14 (Bus stop improvements), 16 (Construction method statement), 17 (Tree protection measures), 19 (Lighting scheme), 20 (SWMP), 21 (Biodiversity enhancements), 22 (CEMP) and 23 (Archaeology WSI) of planning permission S/1797/18/VC | Withdrawn | 17/12/2018 | http://plan.scambs.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/4562/18/DC |
| Thriplow CP | | | | | | |
| | S/3488/18/FL | Alderley, 36, Church Street, Thriplow, Cambridgeshire, SG8 7RE | Installation of two air pumps | Approved | 19/12/2018 | http://plan.scambs.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/3488/18/FL |
| | S/3935/18/DC | Bacons Farmhouse, Church Street, Thriplow, SG8 7RE | Discharge of Conditions 4 (Hard & Soft Landscaping), 7 (Windows & Door Details) & 12 (Traffic Management Plan) of Planning Permission S/3202/15/FL | Approved | 18/12/2018 | http://plan.scambs.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/3935/18/DC |
| Toft CP | | | | | | |
| | S/4307/18/TC | Manor Farm House, 15, Comberton Road, Toft, Cambridge, Cambridgeshire, CB23 2RY | received after the application was submitted A. Walnut (Fell) Overcrowding B. Cherry (Fell) Overcrowding C. Poplar (Fell) Dead D. Leyland Cypress (Fell) Overcrowding E. Alder (Fell) Dead F. Walnut - Pruen (overhanging House) G. Oak Raise Crown/ Remove Dead Wood H. Oak Raise Crown/Remove Dead Wood I. Cypress Fell - Overcrowding J. Cypress Fell - Overcrowding K. Silver Birch - Remove branch overhanging Dovecote Please find attached additional details as requested Walnut - reduce diameter of span by 2 metres to prevent overhang of conservatory. 2 oaks - raise crown to 3 metres to prevent overcrowding I do hope this information is sufficient | No Objections | 18/12/2018 | http://plan.scambs.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/4307/18/TC |
| Waterbeach CP | | | | | | |
| | S/4018/18/FL | Dimmock House, Cody Road, Waterbeach, CB25 9LS | Conservatory to side of property | Approved | 18/12/2018 | http://plan.scambs.gov.uk/swiftg/apas/run/WPHA_PPDETAIL_DisplayUri?theAppID=S/4018/18/FL |

| | S/4105/18/FL | 16, Station Road, Waterbeach, Cambridge, Cambridgeshire, CB25 9HT | Demolition of single storey and conservatory structures at rear of property. Proposed single storey (flat roof) rear extension. New dormer window to rear bedroom. Conversion of loft space and addition of roof dormer at rear. (Revision to application S/0005/18/FL) | Approved | 19/12/2018 | http://plan.scambs.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUrl?theAppId=S/4105/18/FL |
|-------------------------|--------------|---|---|----------------------|------------------|---|
| | S/4169/18/DC | Land to the East of 95, Bannold Road, Waterbeach | Discharge of Condition 9 (Contamination) and 13 (garden sheds) of planning permission S/2475/18/VC | Approved | 18/12/2018 | http://plan.scambs.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUrl?theAppId=S/4169/18/DC |
| West Wickham CP | | | | | | |
| | S/4193/18/DC | Land Between 39 And 47, High Street, West Wickham, CB21 4RY | Discharge of Conditions 3 (Traffic Management Plan) & 4 (Ecological Enhancement) of planning permission S/3212/18/FL | Approved | 17/12/2018 | http://plan.scambs.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUrl?theAppId=S/4193/18/DC |
| West Wratting CP | | | | | | |
| | S/4475/18/TC | The Old Hall, 61, High Street, West Wratting, Cambridge, Cambridgeshire, CB21 5LU | T1 Yew, T2 Willow, T3 & 4 Spruce, T5 Lime - Fell all 5 Trees - See reason for fell on supporting letter received with the application. T6 Lime - Repollard to previous points and rolling consent is also requested to remove the re-growth every 4-6 years. T7 Yew, T8 Yew, T9 Yew, these are a group of 3 trees down the side of the house - Crown to maintain clearance from the side of the house of 2m. T13 & T14 Lime - Trees are at the front of the property - Repollard to previous points and rolling consent is also requested to remove the re-growth every 4-6 years. | No Objections | 21/12/2018 | http://plan.scambs.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUrl?theAppId=S/4475/18/TC |
| Whittlesford CP | | | | | | |
| | S/4059/18/TC | Unicorn Cottage, Old School Lane, Whittlesford, Cambridge, Cambridgeshire, CB22 4YS | Fell two sycamore trees identified on tree location plan as trees with 800 Girth and 1400 Girth (Amended) | No Objections | 18/12/2018 | http://plan.scambs.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUrl?theAppId=S/4059/18/TC |
| | S/4440/18/TC | 5, Parsonage Court, Whittlesford, Cambridge, Cambridgeshire, CB22 4PH | Tree 1 - Cherry tree to have 3 metre crown reduction. Tree 2 - Pine to have ivy cut back from main stem and height reduced by 3 metres. | No Objections | 21/12/2018 | http://plan.scambs.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUrl?theAppId=S/4440/18/TC |
| | S/4442/18/TP | 27, High Street, Whittlesford, Cambridge, Cambridgeshire, CB22 4LT | TPO 0008 (1969) G5: Horse Chestnut tree to have crown reduction highlighted in Photo 1 and 2. Photo 1 - Reduction of branches highlighted - A = 1 1/2 meter reduction. B= 4 meter reduction (branch overhanging public footpath). Photo 2 - A= 1 1/2 meter reduction. B=2 1/2 meter reduction. | Approved | 18/12/2018 | http://plan.scambs.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUrl?theAppId=S/4442/18/TP |
| | S/4481/18/TC | 44, North Road, Whittlesford, Cambridge, Cambridgeshire, CB22 4NZ | Bird Cherry T1 - reduce tree height by 33% due to excessive shade Bird Cherry T2 - reduce tree height by 33% due to excessive shade Weeping Willow T3 - dead tree, fell | No Objections | 21/12/2018 | http://plan.scambs.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUrl?theAppId=S/4481/18/TC |
| Willingham CP | | | | | | |
| | S/3995/18/FL | 132, Rampton Road, Willingham, Cambridge, Cambridgeshire, CB24 5JF | Alterations and additions to an existing rear garage and, conversion for habitable use and construction of a double garage. | Approved | 17/12/2018 | http://plan.scambs.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUrl?theAppId=S/3995/18/FL |
| Wimpole CP | | | | | | |
| | S/3950/18/DC | Tenanted Agricultural land within the WI, Wimpole Estate, Arrington, Royston, SG8 0BW | Discharge of Condition 18 (Construction Environmental Management Plan) of Planning Permission S/2214/17/FL | Approved | 21/12/2018 | http://plan.scambs.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUrl?theAppId=S/3950/18/DC |
| | S/4173/18/DC | Tenanted Agricultural land within the WI, Wimpole Estate, Arrington, Royston, SG8 0BW | Discharge of condition 11 (Materials) of planning permission S/2214/17/FL | Approved | 18/12/2018 | http://plan.scambs.gov.uk/swift/g/apas/run/WPHA/PPDETAIL_DisplayUrl?theAppId=S/4173/18/DC |
| Appeal Decisions | | | | | | |
| Application Reference | Location | Proposal | Appeal Decision | Appeal Decision Date | Application Link | |

| | | | | | |
|--------------|---|---|----------------|------------|---|
| S/4544/17/FL | Land to the rear of 142, Cottenham Road, Histon, Cambridge, CB24 9ET | Two new detached chalet style dwellings. | Appeal Allowed | 21/12/2018 | http://plan.scams.gov.uk/swiftlg/apas/run/WPHAPPDETAIL_DisplayUrl?theAppID=S/4544/17/FL |
|--------------|---|---|----------------|------------|---|