



HR Wallingford
Working with water

Review of surface water flood management

Fulbourn



FWM8709-RT001-R01-00

August 2020

Document information

Document permissions	Confidential - client
Project number	FWM8709
Project name	Review of surface water flood management
Report title	Fulbourn
Report number	RT001
Release number	R01-00
Report date	August 2020
Client	Cannon Consulting Engineering
Client representative	James Howard
Project manager	Darren Lumbroso
Project director	Richard Body

Document history

Date	Release	Prepared	Approved	Authorised	Notes
12 Aug 2020	01-00	DML	RMB	RMB	

Document authorisation

Prepared

Approved

Authorised

© HR Wallingford Ltd

This report has been prepared for HR Wallingford's client and not for any other person. Only our client should rely upon the contents of this report and any methods or results which are contained within it and then only for the purposes for which the report was originally prepared. We accept no liability for any loss or damage suffered by any person who has relied on the contents of this report, other than our client.

This report may contain material or information obtained from other people. We accept no liability for any loss or damage suffered by any person, including our client, as a result of any error or inaccuracy in third party material or information which is included within this report.

To the extent that this report contains information or material which is the output of general research it should not be relied upon by any person, including our client, for a specific purpose. If you are not HR Wallingford's client and you wish to use the information or material in this report for a specific purpose, you should contact us for advice.

Contents

1. Introduction	1
2. Hydrology	2
2.1. Background to the catchment	2
2.1.1. Hydrological approaches to estimating flood flows	3
2.1.2. Adjustment of catchment descriptors	3
2.2. Revitalised Flood Hydrograph model (ReFH2)	4
2.3. Direct runoff	5
2.4. Comparison of flows	6
2.5. Final method	7
3. Integrated Catchment Model (ICM) hydraulic of the Fulbourn catchment	7
3.1. Hydrological components	7
3.2. Representation of the site	7
3.3. Representation of the post development site	10
4. Results	11
4.1. Existing conditions	11
4.2. Post development flood modelling	13
5. Conclusions	16
6. References	16

Figures

Figure 1.1: Environment Agency surface water flood map	1
Figure 2.1: Catchment boundary from FEH and LiDAR	2
Figure 2.2: Urban area and the impermeable area within the catchment	4
Figure 2.3: ReFH2 flood flow hydrographs	5
Figure 2.4: Surface water flow paths on the site	6
Figure 2.5: Flow hydrographs from ReFH and the Direct Rainfall method for the 3.25 hour 100 year storm	7
Figure 3.1: Development scheme showing the areas of land which are proposed to be raised	10
Figure 4.1: Surface water flood depths for the 1 in 30 year rainfall	11
Figure 4.2: Surface water flood depths for the 1 in 100 year rainfall	12
Figure 4.3: Surface water flood depths for the 1 in 100 year rainfall plus 40% climate change	12
Figure 4.4: Surface water flood depths for the 1 in 1,000 year rainfall	13
Figure 4.5: Surface water flood depths for the 1 in 30 year rainfall with the development in place	14
Figure 4.6: Surface water flood depths for the 1 in 100 year rainfall with development in place	14
Figure 4.7: Surface water flood depths for the 1 in 100 year climate change rainfall with development in place	15
Figure 4.8: Surface water flood depths for the 1 in 1,000 year climate change rainfall with development in place	15

Tables

Table 4.1: Change in peak flow downstream of the site	16
---	----

Photographs

Photograph 3.1: Typical view of the drainage channel through the site	8
Photograph 3.2: Eastern area of the site, looking to the east.....	9
Photograph 3.3: Western areas of the site, looking towards the centre of the site	9