



Envirocheck® Report:

Datasheet

Order Details:

Order Number:

290270295_1_1

Customer Reference:

05425/D

National Grid Reference:

548170, 261820

Slice:

D

Site Area (Ha):

9.58

Search Buffer (m):

1000

Site Details:

Anglian Water Authority, Milton House Cowley Road CAMBRIDGE CB4 0AP

Client Details:

Ms K McGeoch
PJA Civil Engineering Ltd
Seven House
High Street
Longbridge
Birmingham
B31 2UQ







Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	6
Hazardous Substances	-
Geological	7
Industrial Land Use	-
Sensitive Land Use	8
Data Currency	9
Data Suppliers	13
Useful Contacts	14

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination.

For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client.

In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2022. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environme Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under

Agency/Natural Resolutes waters and Natural England, and mist not be reproduced in whole of in part by protocopying of any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer.

A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.

© Environment Agency & United Kingdom Research and Innovation 2022. © Natural Resources Wales & United Kingdom Research and Innovation 2022.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2022. Land & Property Services © Crown copyright and database right.

Report Version v53.0



Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes		Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents					
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls					
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 1				Yes
Pollution Incidents to Controlled Waters	pg 1				1
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality	pg 1				1
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register					
Water Abstractions	pg 1				(*6)
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 3	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk	pg 3	1	n/a	n/a	n/a
Bedrock Aquifer Designations	pg 3	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 3	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences				n/a	n/a
Flooding from Rivers or Sea without Defences				n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 4				16



Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites					
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)					
Local Authority Landfill Coverage	pg 6	3	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 7	Yes	n/a	n/a	n/a
BGS Recorded Mineral Sites					
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 7	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 7		Yes	n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 7	Yes		n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 7	Yes	Yes	n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 7	Yes		n/a	n/a
Radon Potential - Radon Affected Areas			n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a



Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Industrial Land Use					
Contemporary Trade Directory Entries					
Fuel Station Entries					
Gas Pipelines					
Underground Electrical Cables					
Sensitive Land Use					
Ancient Woodland					
Areas of Adopted Green Belt	pg 8		1	1	1
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 8	1		1	
Ramsar Sites					
Sites of Special Scientific Interest					
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Order Number: 290270295_1_1 Date: 26-Jan-2022 rpr_ec_datasheet v53.0



Agency & Hydrological

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater	Flooding Susceptibility				
	Flooding Type:	Potential for Groundwater Flooding to Occur at Surface	D1SW (NE)	0	1	548166 261816
	BGS Groundwater I Flooding Type:	Flooding Susceptibility Potential for Groundwater Flooding to Occur at Surface	(SE)	462	1	548450 261500
	Nearest Surface Wa	nter Feature	(SW)	674	-	548056 261664
	Pollution Incidents	to Controlled Waters				
1	Property Type: Location: Authority: Pollutant: Note: Incident Date: Incident Reference: Catchment Area: Receiving Water: Cause of Incident: Incident Severity: Positional Accuracy:	Not Given Ely District Environment Agency, Anglian Region Unknown River Cam 19th November 1993 2438 Not Given Freshwater Stream/River Unknown Category 3 - Minor Incident Located by supplier to within 100m	D1SW (SE)	873	2	548300 261700
	River Quality Name: GQA Grade: Reach: Estimated Distance (km): Flow Rate: Flow Type: Year:	Cam River Quality D A45 Road BridgeClayhithe 4 Flow less than 5 cumecs River 2000	D1SE (E)	845	2	548390 261776
	Water Abstractions					
	Operator: Licence Number: Permit Version: Location: Authority: Abstraction: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3): Details: Authorised Start: Authorised End: Permit Start Date: Permit End Date:	H Gingell Ltd 6/33/33/*s/040 Not Supplied River Cam North Of, HORNINGSEA Environment Agency, Anglian Region Spray Irrigation Not Supplied Stream 25 872730 Status: Revoked Not Supplied Located by supplier to within 10m	D1SE (E)	1055	2	548500 261750
	Water Abstractions				_	
	Operator: Licence Number: Permit Version: Location: Authority: Abstraction: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3): Details: Authorised Start: Authorised End: Permit Start Date: Permit End Date: Positional Accuracy:	H Gingell Ltd 6/33/33/*G/0039 100 Borehole N Of Fen Ditton Environment Agency, Anglian Region General Farming And Domestic Water may be abstracted from a single point Groundwater Not Supplied Not Supplied Greensand 3; Status: Perpetuity 01 January 31 December 1st March 1996 Not Supplied Located by supplier to within 10m	D2SW (E)	1299	2	548810 261725



Agency & Hydrological

Page 2 of 14

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator:	H Gingell Ltd	D2SW	1301	2	548810
	Licence Number: Permit Version: Location: Authority: Abstraction: Abstraction Type: Source: Daily Rate (m3):	6/33/33/*g/039 Not Supplied Borehole North Of Fen Ditton, HORNINGSEA Environment Agency, Anglian Region Domestic & Agriculture Not Supplied Well And Borehole 1	(E)	1301	2	261730
	-	2270 Greensand 3; Status: Perpetuity Not Supplied Not Supplied Not Supplied Not Supplied Not Supplied Located by supplier to within 10m				
	-	H Gingell Ltd 6/33/33/*s/040 Not Supplied River Cam North Of, HORNINGSEA Environment Agency, Anglian Region Spray Irrigation Not Supplied Stream 25 872730 Status: Revoked Not Supplied	D2NW (NE)	1628	2	548920 262140
	Water Abstractions Operator: Licence Number: Permit Version: Location: Authority: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3): Details: Authorised Start: Authorised Start: Authorised End: Permit Start Date: Permit End Date: Positional Accuracy:	P K Bell 6/33/33/*G/0027 100 Borehole S Of Horningsea Environment Agency, Anglian Region General Farming And Domestic Water may be abstracted from a single point Groundwater Not Supplied Not Supplied C Chalk 6; Status: Perpetuity 01 January 31 December 1st April 1973 Not Supplied Located by supplier to within 10m	D2NE (E)	1912	2	549300 262100
	Water Abstractions Operator: Licence Number: Permit Version: Location: Authority: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3): Details: Authorised Start: Authorised Start: Authorised End: Permit Start Date: Permit End Date: Positional Accuracy:	P.J. Biggs, 6/33/33/*g/004 Not Supplied Borehole At, HORNINGSEA Environment Agency, Anglian Region Agriculture (General) Not Supplied Well And Borehole 5 22730 C Chalk 6; Status: Revoked Not Supplied Located by supplier to within 10m	D2NE (E)	1967	2	549300 262200



Agency & Hydrological

Page 3 of 14

Conditional Secondary Superficial Aquifer - High Vulnerability (N) 0 3 5,64000 (N) (N) (N) 0 3 5,64000 (Self/scitor) (Contained High Vulnerability (N)	ap D		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
Classification: Combined Combi		Groundwater Vulne					
Combined High Unproductive Betrock Aquifer, Productive Superficial Aquifer intermediate Betrock Productive Superficial Aquifer intermediate Betrock Productive Superficial Aquifer intermediate Superficial			Secondary Superficial Aquifer - High Vulnerability		0	3	548000
Vulnerability: Combined Aguiler Dilution: Seed Vulnerability Map Combined Aguiler Combined Combined Classification: Combined Combined Combined Combined Combined Combined Classification: Combined Combined Combined Combined Classification: Combined Combined Combined Combined Classification: Combi			High	(VV)			261782
Combined Aquiller Pollutari Speed Black Sp			riigii				
Politiant Speed: Informediate Bedrock Flow: Vival Connected Fractures Superficial Superficial Superficial Superficial High Recharge: Vival Connected Fractures Superficial Combined Secondary Superficial Aquifer High Recharge: Vival Commission Superficial Aquifer High Recharge: Vival Commission Superficial Aquifer High Recharge: Vival Commission Superficial Aquifer Politiant Speed: Superficial Superficial Aquifer Informediate Superficial Aquifer Politiant Speed: Vival Commission Superficial Aquifer Informediate Superficial Aquifer Politiant Speed: Superficial Superficial High Recharge: Vival Commission Superficial Aquifer (may have productive aquifer beneath) (SW) 0 3 54770 (Cassification: Commission Superficial High Recharge: Vival Commission Superficial High Recharge: Vival Commission Superficial Superficial High Recharge: Vival Commission Superficial High Recharge: Vival Commission Superficial Superficial High Superficial Superficial Superficial Superficial High Superficial High Superficial Superficial High Superficial High Superficial High Superficial High Superficial High Superficial Superficial High Superficial Superficial High Superficial High Superficial Superficial High Superficial Superficial High Super			Unproductive Bedrock Aquifer, Productive Superficial Aquifer				
Dilution:			Intermediate				
Baseflov Index: 97% Superficial 9,00% Patch Irress: 9,00% Superficial High Recharge: 42m Thickness: Superficial High Superficial High Superficial High Superficial Productive Superficial Aquifer High Vulnerability Combined Succordary Superficial Aquifer High Vulnerability Combined Superficial Aquifer Productive Superficial Aquifer Intermediate Intermediat							
Superficial segment of the segment o							
Superficial - 3/m Thickness: Superficial High Rochtsingte: Gorondwater Vulnerability Map Combined Secondary Superficial Aquifer - High Vulnerability (S) 0 3 548000 Z81000 Z810000 Z810000 Z810000 Z810000 Z8100000 Z810000000 Z81							
Thickness: Superficial Recharge: Groundwater Vulnerability Map Combined Combined Classification: Combined Combined Combined Classification: Combined Combin							
Superficial Recharge: Secondary Vulnerability Nap Secondary Superficial Aquifer - High Vulnerability Secondary Superficial Aquifer - High Recharge:			<3m				
Recharge: Groundwater Vulnerability Map Combined Combine			High				
Combined Secondary Superficial Aquifer - High Yulnerability Classification: Combined High Yulnerability: Combined Aquifer: Combined Aquifer: Combined Aquifer: Pollutant Speed: Baseflow Index: 300 mm/year Baseflow Index: 300 mm/year Superficial Recharge: Groundwater Vulnerability Map Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Aquifer: Pollutant Speed: Baseflow Index: 300 mm/year Superficial Recharge: Groundwater Vulnerability Map Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Aquifer: Pollutant Speed: Bedrock Flow: Superficial Patchiness: Superficial Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Combined Commiyear Superficial Unproductive Vulnerability Vulnerability Vulnerability Vulnerability Superficial Unproductive Vulnerability Vulnerability Superficial Sup			riigii				
Classification: Combined High Vulnerability: Combined Aquifer: Dilution: Superficial Speed: Baseflow Index: Superficial High Recharge: Groundwater Vulnerability Map Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Speed: Baseflow Index: Superficial Index: Superficial Speed: Baseflow Index: Superficial High Recharge: Groundwater Vulnerability Map Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Unproductive Unproductive Aquifer (may have productive aquifer beneath) Classification: Superficial High Recharge: Groundwater Vulnerability Speed: Unproductive Bedrock Aquifer, No Superficial Aquifer Indicates Speed: Baseflow Index: Superficial High Recharge: Groundwater Vulnerability Speed: Combined Quifer: Superficial High Recharge: Groundwater Vulnerability Soluble Rock Risk Classification: Superficial High Recharge: Groundwater Vulnerability - Soluble Rock Risk Classification: Superficial High Recharge: Groundwater Vulnerability - Soluble Rock Risk Classification: Superficial Aquifer Designations Aquifer Designation: Aquifer Designation: Aquifer Designation: Secondary Aquifer - A Superficial Aquifer Designations Aquifer Designation: Aquifer De		Groundwater Vulne	rability Map				
Combined Apuller: Pollutant Speed: Bachrock Flow: Valle Cornected Fractures Superficial Space Intermediate Bachrock Flow: Superficial Space Intermediate Bachrock Flow: Superficial Space Intermediate Patchiness: Superficial Space Intermediate Patchiness: Superficial Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Unproductive Vulnerability: Combined Aquifer: Pollutant Space Intermediate Bachrock Flow: Valle Cornected Fractures Superficial Space Intermediate Vulnerability: Combined Aquifer: Pollutant Space Intermediate Bachrock Flow: Valle Cornected Fractures Superficial Superficial Superficial Superficial Space Intermediate Vulnerability: Combined Aquifer: Pollutant Space Intermediate Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Intermediate Vulnerability: Combined Aquifer: Pollutant Space Intermediate Vulnerability: Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Space Intermediate Vulnerability: Combined Aquifer: Pollutant Space Intermediate Bachrock Flow: Valle Cornected Fractures Superficial Pollutant Space Intermediate Vulnerability: Combined Aquifer: Pollutant Space Intermediate Vulnerability:			Secondary Superficial Aquifer - High Vulnerability	(S)	0	3	548000
Vulnerability: Combined Aquiller: Information of the productive Bedrock Aquilfer, Productive Superficial Aquilfer Pollutant Speed: Baderlox Piology Baselfow Index: Superficial 90% Patchiness: Superficial 90% Patchiness: Superficial High Recharge: Groundwater Vulnerability Map Combined Unproductive Aquifer (may have productive aquifer beneath) Combined Unproductive Combined Unproductive Patchiness: Superficial Pelow Index: Superficial Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Unproductive Unproductive Unproductive Unproductive Unproductive Combined Unproductive U			- ,	, ,			261000
Combined Aquifer Polithants Speed: Intermediate Polithants Speed: Patchiness: Superficial High Recharge: Polithant Speed: Polithan			High				
Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Superficial -300 mm/year -300 mm			Unproductive Bedrock Aquifer Productive Superficial Aquifer				
Bedrock Flow: Well Connected Fractures Dilution: <000 mm/year Baseflow Index: <000 mm/year Superficial <000 mm/year High Rechange: High Rechange: Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Unproductive Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Aquifer, No Superficial Aquifer Baseflow Index: <000 mm/year Superficial Superfic		Pollutant Speed:					
Baseflow Index:		Bedrock Flow:					
Superficial >90% Patchiness: Superficial Aguifer Designation: Superficial Aguifer Superficial Aguifer (may have productive aguifer beneath) Superficial Aguifer Designation: Superficial Aguifer Designation: Superficial Aguifer Superficial Aguifer (may have productive aguifer beneath) Superficial Superficial Aguifer (may have productive aguifer beneath) Superficial Superficial Aguifer (may have productive aguifer beneath) Superficial Superficial Superficial Aguifer (may have productive aguifer beneath) Superficial Superficial Superficial Aguifer (may have productive aguifer beneath) Superficial Superficial Superficial Aguifer (may have productive aguifer beneath) Superficial Superficial Superficial Superficial Aguifer (may have productive aguifer beneath) Superficial Superficial Superficial Superficial Aguifer (may have productive aguifer beneath) Superficial Superficial Superficial Superficial Aguifer (may have productive aguifer beneath) Superficial Superficial Superficial Superficial Aguifer (may have productive aguifer beneath) Superficial Superficial Superficial Superficial Aguifer (may have productive aguifer beneath) Superficial S							
Patchiness: Superficial <3m Thickness: Superficial High Recharge: Groundwater Vulnerability Map Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Unproductive Vulnerability: Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Dilution: Superficial >90% Patchiness: Superficial + High Recharge: Groundwater Vulnerability Map Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Unproductive Combined Aquifer: Unproductive Dedrock Aquifer, No Superficial Aquifer Pollutant Speed: Dilution: Superficial >90% Patchiness: Superficial >90% Patchiness: Superficial High Recharge: Groundwater Vulnerability - Soluble Rock Risk Classification: Superficial High Recharge: Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely Groundwater Vulnerability - Soluble Rock Risk Classification: Classification: Significant Risk - Problems Unlikely Superficial Aquifer Designations Aquifer Designation: Aquifer Designation: Superficial Aquifer Designations Aquifer Designation: Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A DISW O 3 54816 (NE) Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A DISW O 3 54816 (NE)							
Thickness: Superficial High Recharge: Groundwater Vulnerability Map Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Unproductive Vulnerability: Combined Aquifer: Pollutant Speed: Bedrock Frow: Basellow Index: Superficial Superficial Prickness: Superficial High Recharge: Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Aquifer: Pollutant Speed: Bedrock Frow: Combined Aquifer: Pollutant Speed: Bedrock Frow: Combined Aquifer: Pollutant Speed: Superficial Superficial Prickness: Superficial High Recharge: Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Unproductive Aquifer, No Superficial Aquifer Pollutant Speed: Difference Frow: Pollutant Speed: Difference Frow: Pollutant Speed: Difference Frow: Superficial Superficial Basellow Index: Superficial Superficial Superficial Prickness: Superficial Recharge: Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata From Water Designation: Difference From Water Designations Aquifer Designation: Superficial Aquifer Designations Aquifer Designation: Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A Difference From Water Designations Aquifer Designation: Secondary Aquifer - A Difference From Water Designations Aquifer Designation: Secondary Aquifer - A Difference From Water Designations Aquifer Designation: Secondary Aquifer - A Difference From Water Designations Aquifer Designation: Secondary Aquifer - A Difference From Water Designation: Secondary Aquifer - A Difference Fro		Patchiness:					
Superficial High Recharge: Groundwater Vulnerability Map Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Vulnerability: Combined Aquifer: Pollutant Speed: Bedrock Flow: Well Connected Fractures Dilution: Superficial Septimal Superficial			<3m				
Recharge: Groundwater Vulnerability Map Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Unproductive Unproductive Magnifer (may have productive aquifer beneath) Combined Aquifer: Pollutant Speed: Baseflow Index: Saseflow Index: Superficial Aquifer Minerability Combined Connected Fractures Dilution: Saseflow Index: Superficial Aquifer Minerability Map Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Unproductive Aquifer (may have productive aquifer beneath) Combined Unproductive Aquifer (may have productive aquifer beneath) Combined Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Dilution: Superficial Speed: Superficial Superficial Superficial Superficial Superficial Superficial Recharge: Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely Bedrock Aquifer Designations Aquifer Designation: Aquifer Designation: Secondary Aquifer - A DISW O 3 548161 Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A DISW O 3 548161 Superficial Aquifer Designation: Secondary Aquifer - A DISW O 3 548161 Superficial Aquifer Designation: Secondary Aquifer - A DISW O 3 548161			High				
Combined Unproductive Bedrock Aquifer, No Superficial Aquifer Individual Superficial Superf			i iigii				
Classification: Combined Unproductive Vulnerability: Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <70% Superficial >90% Patchiness: Superficial Aquifer Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Unproductive Aquifer, No Superficial Aquifer Vulnerability: Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <77% Superficial >90% Patchiness: Superficial >90% Patchiness: Superficial >90% Patchiness: Superficial >90% Superficial Superficial		Groundwater Vulne	rability Map				
Combined Aquifer Designation: Combined Aquifer Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Bedrock Flow: Dilution: Saseflow Index: Superficial >90% Patchiness: Superficial High Recharge: Groundwater Vulnerability Map Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Unproductive Aquifer, No Superficial Aquifer Combined Unproductive Aquifer, No Superficial Aquifer Combined Unproductive Aquifer, No Superficial Aquifer Combined Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: Superficial >90% Patchiness: Superficial >90% Patchiness: Superficial High Recharge: Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely Superficial Aquifer Designations Aquifer Designation: Unproductive Strata DISW O 3 54800 24			Unproductive Aquifer (may have productive aquifer beneath)	(SW)	0	3	
Vulnerability: Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Bedrock Fractures Intermediate Bedrock Frolow: Well Connected Fractures Superficial High Recharge: Superficial Unproductive Aquifer (may have productive aquifer beneath) Superficial Superficial Unproductive Aquifer (may have productive aquifer beneath) Superficial Superficial Unproductive Aquifer Unproductive Aquifer Unproductive Aquifer Unproductive Aquifer Unproductive Bedrock Aquifer, No Superficial Aquifer Vulnerability: Superficial Superfici							26100
Combined Aquifer Designation: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Well Connected Fractures Superficial >90% Patchiness: Superficial < 3m Thickness: Superficial High Recharge: Well Connected Fractures Superficial Unproductive Aquifer (may have productive aquifer beneath) (SW) 0 3 54783 26129 Combined Unproductive Bedrock Aquifer, No Superficial Aquifer Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300 mm/year Baseflow Index: 570% Superficial >90% Patchiness: Superficial >90% Patchiness: Superficial High Recharge: Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely (S) 0 3 54800 Recharge: Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely (S) 0 3 54800 Recharge: Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely (NE) 0 3 54816 Recharge: Superficial Aquifer Designations Aquifer Designations Aquifer Designations Secondary Aquifer - A D1SW 0 3 54816 Recharge: Superficial Aquifer Designations Secondary Aquifer - A D1SW 0 3 54816 Recharge: Superficial Aquifer Designations Secondary Aquifer - A D1SW 0 3 54816 Recharge: Superficial Aquifer Designations Secondary Aquifer - A D1SW 0 3 54816 Recharge: Superficial Aquifer Designations Secondary Aquifer - A D1SW 0 3 54816 Recharge: Superficial Aquifer Designations Secondary Aquifer - A D1SW 0 3 54816 Recharge: Superficial Aquifer Designations Secondary Aquifer - A D1SW 0 3 54816 Recharge Rech			Unproductive				
Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Bedrock Flow: Well Connected Fractures Baseflow Index:			Unproductive Bedrock Aguifer, No Superficial Aguifer				
Dilution: <300 mm/year Baseflow Index: >70% Superficial >90% Patchiness: Superficial High Recharge: High Recharge: Unproductive Aquifer (may have productive aquifer beneath) (SW) 0 3 54783 26129 Groundwater Vulnerability Map Combined Unproductive Aquifer (may have productive aquifer beneath) (SW) 0 3 54783 26129 Unproductive Unproductive Unproductive Bedrock Aquifer, No Superficial Aquifer Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial >90% Patchiness: Superficial High Recharge: Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely (S) 0 3 54800 26100 Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata D1SW 0 3 54816 Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A D1SW 0 3 54816 (NE) 51810		Pollutant Speed:	Intermediate				
Baseflow Index: >70% Superficial >90% Patchiness: Superficial High Recharge: Groundwater Vulnerability Map Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Unproductive Vulnerability: Combined Unproductive Vulnerability: Combined Unproductive Vulnerability: Combined Aquifer: Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial >90% Patchiness: Superficial 43m Thickness: Superficial High Recharge: Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely Bedrock Aquifer Designation: Unproductive Strata D1SW 0 3 54800 261810 Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A D1SW 0 3 548164 261811							
Superficial >90% Patchiness: Superficial <3m Thickness: Superficial High Recharge: Groundwater Vulnerability Map Combined Unproductive Aquifer, No Superficial Aquifer Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial >90% Patchiness: Superficial High Recharge: Groundwater Vulnerability: Combined Unproductive Bedrock Aquifer, No Superficial Aquifer Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial >90% Patchiness: Superficial High Recharge: Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata D1SW 0 3 54806 (NE) Superficial Aquifer Designations Aquifer Designation: Unproductive Strata D1SW 0 3 548164 (NE) Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A D1SW 0 3 548164 (NE) D1SW 0 3 548164 (NE) D1SW 0 3 548164 (NE)							
Superficial Apperficial							
Thickness: Superficial High Recharge: Groundwater Vulnerability Map Combined Unproductive Aquifer (may have productive aquifer beneath) (SW) 0 3 54783: 26129l Classification: Combined Unproductive Vulnerability: Combined Aquifer: Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: Baseflow Index: >70% Superficial >90% Patchiness: Superficial <3m Thickness: Superficial High Recharge: Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata Superficial Aquifer Designation: Secondary Aquifer - A D1SW 0 3 54816i (NE) Setable Combined (NE) Setable Combined (NE) Setable Combined (SW) Setable CSW							
Superficial High Recharge: Groundwater Vulnerability Map Combined Unproductive Aquifer (may have productive aquifer beneath) (SW) 0 3 54783: 26129! Classification: Combined Unproductive Vulnerability: Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial >90% Patchiness: Superficial <3m Thickness: Superficial High Recharge: Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata D1SW 0 3 54800 (NE) Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A D1SW 0 3 548164 (NE) Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A D1SW 0 3 548164 (NE) Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A D1SW 0 3 548164 (NE) Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A D1SW 0 3 548164 (NE) Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A			<3m				
Recharge: Groundwater Vulnerability Map Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Unproductive Vulnerability: Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial >90% Patchiness: Superficial + High Recharge: Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata D1SW O 3 54800 (NE) Superficial Aquifer Designations Aquifer Designations Aquifer Designation: Secondary Aquifer - A D1SW O 3 548166 (NE)			High				
Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Combined Unproductive Vulnerability: Combined Aquifer: Pollutant Speed: Intermediate Bedrock Flow: Dilution: Saseflow Index: Superficial Superficial Recharge: Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely Bedrock Aquifer Designation: Aquifer Designation: Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A D1SW O O O O O O O O O O O O O O O O O O O							
Classification: Combined Combined Vulnerability: Combined Aquifer: Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: Superficial Superficial Superficial Recharge: Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A D1SW O 3 54816i (NE) D1SW O 3 54816i (NE)							
Combined Unproductive Vulnerability: Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300 mm/year Baseflow Index: 570% Superficial 90% Patchiness: Superficial 43m Thickness: Superficial High Recharge: Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely (S) 0 3 54800 26100 Bedrock Aquifer Designation: Unproductive Strata D1SW 0 3 54816 261816 Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A D1SW 0 3 54816 261816			Unproductive Aquifer (may have productive aquifer beneath)	(SW)	0	3	
Vulnerability: Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Bedrock Flow: Dilution: Saseflow Index: Superficial Superficial Aquifer Pollutant Speed: Bedrock Flow: Well Connected Fractures Unitermediate Bedrock Flow: Well Connected Fractures Unitermediate Bedrock Flow: Well Connected Fractures Superficial Superficial Superficial Superficial Superficial Aguifer Designation: Vilnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely Superficial Aquifer Designation: Unproductive Strata D1SW No Superficial Aquifer Designations Aquifer Designation: Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A D1SW No Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A D1SW No Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A D1SW No Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A Superficial Aquifer Designations No Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A Superficial Aquifer Designation: Superficial Aquifer Designat			Unproductive				26129
Combined Âquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial >90% Patchiness: Superficial <3m Thickness: Superficial High Recharge: Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely (S) 0 3 54800 261000 Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A D1SW 0 3 548161 261811			Onproductive				
Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial >90% Patchiness: Superficial High Recharge: Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely Bedrock Aquifer Designation: Unproductive Strata Aquifer Designation: Secondary Aquifer - A D1SW Aquifer Designation: Secondary Aquifer - A D1SW O 3 54816 (NE) D1SW O 3 54816 (NE)		Combined Aquifer:					
Dilution: <300 mm/year Baseflow Index: >70% Superficial >90% Patchiness: Superficial <3m Thickness: Superficial High Recharge: Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A D1SW N(NE) D1SW O 3 54816 261810 Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A D1SW O 3 54816 261810		Pollutant Speed:	Intermediate				
Baseflow Index: >70% Superficial >90% Patchiness: Superficial <3m Thickness: Superficial High Recharge: Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata D1SW (NE) Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A D1SW (NE) D1SW 0 3 54816 261816							
Superficial >90% Patchiness: Superficial <3m Thickness: Superficial High Recharge: Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata Superficial Aquifer Designations Aquifer Designations Aquifer Designations Aquifer Designations Aquifer Designations Aquifer Designation: Secondary Aquifer - A D1SW O 3 54816 (NE) Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A D1SW O 3 54816 (NE) Superficial Aquifer Designations							
Superficial <3m Thickness: Superficial High Recharge: Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata Superficial Aquifer Designations Aquifer Designations Aquifer Designations Aquifer Designations Aquifer Designations Aquifer Designation: Secondary Aquifer - A D1SW (NE) D1SW 0 3 54816 (NE) 26181		Superficial					
Thickness: Superficial High Recharge: Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata Superficial Aquifer Designations Aquifer Designations Aquifer Designation: Secondary Aquifer - A D1SW (NE) Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A D1SW (NE) 3 54816 (NE) 26181							
Superficial Recharge: Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A D1SW 0 3 54816 (NE) Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A D1SW 0 3 54816 (NE)			<3m				
Recharge: Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A D1SW (NE) D1SW 0 3 54816 (NE) D1SW 0 3 54816 (NE) 26181			High				
Classification: Significant Risk - Problems Unlikely Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata D1SW 0 3 548166 (NE) Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A D1SW 0 3 548166 (NE) D1SW 0 3 548166 (NE) D1SW 0 3 548166 (NE)							
261000 261000 261000 261000 261000 261000 261000 261000 261000 2610000 2610000 2610000 2610000 2610000 2610000 2610000 261000			-			_	
Aquifer Designation: Unproductive Strata D1SW (NE) 0 3 54816 26181 Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A D1SW 0 3 54816 (NE)		Classification:	Significant Risk - Problems Unlikely	(S)	0	3	
Superficial Aquifer Designations							
Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A D1SW 0 3 54816 (NE) 26181		Aquifer Designation:	Unproductive Strata		0	3	
(NE) 26181			_				
		Aquifer Designation:	Secondary Aquifer - A		0	3	
		Extreme Flooding f	rom Rivers or Sea without Defences	\/			



Order Number: 290270295_1_1

Agency & Hydrological

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences None				
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
2	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 166.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Cam Ely Ouse and South Level Primacy: 1	(SW)	674	4	548058 261663
3	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 435.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Cam Catchment Name: Cam Ely Ouse and South Level Primacy: 1	D1SE (E)	686	4	548382 261745
4	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 56.7 Watercourse Level: Underground Permanent: True Watercourse Name: First Public Drain Catchment Name: Cam Ely Ouse and South Level Primacy: 1	D1SW (SW)	697	4	548091 261718
5	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 217.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: First Public Drain Catchment Name: Cam Ely Ouse and South Level Primacy: 1	D1SW (NW)	753	4	548153 261824
6	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 150.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Cam Ely Ouse and South Level Primacy: 2	D1SW (SE)	823	4	548223 261705
7	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 92.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Cam Ely Ouse and South Level Primacy: 2	D1SE (E)	885	4	548360 261742
8	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 344.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Cam Ely Ouse and South Level Primacy: 2	D1SE (E)	898	4	548408 261760
9	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 99.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Thirteenth Public Drain Catchment Name: Cam Ely Ouse and South Level Primacy: 1	D1SW (E)	931	4	548283 261801



Order Number: 290270295_1_1

Agency & Hydrological

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
10	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 251.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Cam Ely Ouse and South Level Primacy: 2	D1SW (E)	935	4	548283 261801
11	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 130.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Thirteenth Public Drain Catchment Name: Cam Ely Ouse and South Level Primacy: 1	D1SW (NE)	935	4	548209 261899
12	OS Water Network Lines Watercourse Form: Inland river Watercourse Level: On ground surface Permanent: True Watercourse Name: Thirteenth Public Drain Catchment Name: Cam Ely Ouse and South Level Primacy: 1	D1SE (E)	945	4	548360 261742
13	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 252.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Cam Ely Ouse and South Level Primacy: 2	D1SE (E)	945	4	548365 261783
14	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 386.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Thirteenth Public Drain Catchment Name: Cam Ely Ouse and South Level Primacy: 2	D1SW (NW)	945	4	548105 261944
15	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 110.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Thirteenth Public Drain Catchment Name: Cam Ely Ouse and South Level Primacy: 2	D1SW (NE)	957	4	548206 261901
16	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 218.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Cam Ely Ouse and South Level Primacy: 2	D1SW (NW)	957	4	548105 261944
17	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 339.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Cam Catchment Name: Cam Ely Ouse and South Level Primacy: 1	D1SE (E)	963	4	548386 261778



Waste

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority La	andfill Coverage				
	Name:	South Cambridgeshire District Council - Has supplied landfill data		0	5	548253 261856
	Local Authority La	andfill Coverage				
	Name:	Cambridge City Council - Has supplied landfill data		0	6	548166 261816
	Local Authority La	andfill Coverage				
	Name:	Cambridgeshire County Council - Has not been able to supply Landfill data		0	7	548166 261816

Order Number: 290270295_1_1 Date: 26-Jan-2022 rpr_ec_datasheet v53.0 A Landmark Information Group Service Page 6 of 14



Geological

Page 7 of 14

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Soli	d Geology				
	Description:	Gault Formation And Upper Greensand Formation (Undifferentiated)	D1SW (NE)	0	1	548166 261816
	Coal Mining Affects	ed Areas				
	In an area that might	t not be affected by coal mining				
	Non Coal Mining An No Hazard	reas of Great Britain				
	Potential for Collap	sible Ground Stability Hazards				
	Hazard Potential: Source:	Very Low British Geological Survey, National Geoscience Information Service	D1SW (NE)	0	1	548166 261816
	Potential for Collap	sible Ground Stability Hazards				
	Hazard Potential: Source:	No Hazard British Geological Survey, National Geoscience Information Service	D1SW (NE)	200	1	548212 261837
	Potential for Comp	ressible Ground Stability Hazards				
	Hazard Potential: Source:	No Hazard British Geological Survey, National Geoscience Information Service	D1SW (NE)	0	1	548166 261816
	Potential for Comp	ressible Ground Stability Hazards				
	Hazard Potential: Source:	Moderate British Geological Survey, National Geoscience Information Service	D1SW (NE)	200	1	548212 261837
	Potential for Groun	d Dissolution Stability Hazards				
	Hazard Potential: Source:	No Hazard British Geological Survey, National Geoscience Information Service	D1SW (NE)	0	1	548166 261816
	Potential for Lands	lide Ground Stability Hazards				
	Hazard Potential: Source:	Very Low British Geological Survey, National Geoscience Information Service	D1SW (NE)	0	1	548166 261816
	Potential for Runni	ng Sand Ground Stability Hazards				
	Hazard Potential: Source:	Very Low British Geological Survey, National Geoscience Information Service	D1SW (NE)	0	1	548166 261816
	Potential for Runni	ng Sand Ground Stability Hazards				
	Hazard Potential: Source:	Low British Geological Survey, National Geoscience Information Service	D1SW (NE)	200	1	548212 261837
	Potential for Shrink	ring or Swelling Clay Ground Stability Hazards				
	Hazard Potential: Source:	Moderate British Geological Survey, National Geoscience Information Service	D1SW (NE)	0	1	548166 261816
	Radon Potential - R	Radon Affected Areas				
	Affected Area: Source:	The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). British Geological Survey, National Geoscience Information Service	D1SW (NE)	0	1	548166 261816
		Radon Protection Measures				
		No radon protection measures No radon protective measures are necessary in the construction of new dwellings or extensions	D1SW (NE)	0	1	548160 261810
	Source:	British Geological Survey, National Geoscience Information Service	()			_5.51

Order Number: 290270295_1_1 Date: 26-Jan-2022 rpr_ec_datasheet v53.0 A Landmark Information Group Service



Sensitive Land Use

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
18	Areas of Adopte Authority: Plan Name: Status: Plan Date:	ed Green Belt South Cambridgeshire District Council South Cambridgeshire Local Plan Adopted 27th September 2018	D1SW (NE)	41	5	548253 261856
19	Areas of Adopte Authority: Plan Name: Status: Plan Date:	ed Green Belt Cambridge City Council Proposal Map Adopted 18th October 2018	D1SW (NE)	372	8	548166 261816
20	Areas of Adopte Authority: Plan Name: Status: Plan Date:	ed Green Belt Cambridge City Council Proposal Map Adopted 18th October 2018	(W)	707	8	547331 262062
21	Nitrate Vulneral Name: Description: Source:	ble Zones Ely Ouse And Cut-Off Channel Nvz Surface Water Environment Agency, Head Office	D1SW (NE)	0	3	548166 261816
22	Nitrate Vulneral Name: Description: Source:	ble Zones Anglian Chalk Groundwater Environment Agency, Head Office	(SE)	484	3	548380 261533

Order Number: 290270295_1_1 Date: 26-Jan-2022 rpr_ec_datasheet v53.0 A Landmark Information Group Service



Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices		
Environment Agency - Head Office	June 2020	Annually
Cambridge City Council - Environmental Health And Protection	October 2017	Annual Rolling Update
East Cambridgeshire District Council - Environmental Health Department	October 2017	Annual Rolling Update
South Cambridgeshire District Council	October 2017	Annual Rolling Update
Discharge Consents		
Environment Agency - Anglian Region	October 2021	Quarterly
Enforcement and Prohibition Notices		
Environment Agency - Anglian Region	March 2013	
ntegrated Pollution Controls		
Environment Agency - Anglian Region	January 2009	
ntegrated Pollution Prevention And Control		
Environment Agency - Anglian Region	October 21	Quarterly
Local Authority Integrated Pollution Prevention And Control		
East Cambridgeshire District Council - Environmental Health Department	October 2014	Variable
South Cambridgeshire District Council - Environmental Health Department	October 2014	Variable
Cambridge City Council - Environmental Health And Protection	September 2014	Variable
	Coptomber 2014	Variable
Local Authority Pollution Prevention and Controls East Cambridgeshire District Council - Environmental Health Department	October 2014	Annual Polling Undet
,	October 2014	Annual Rolling Updat
South Cambridgeshire District Council - Environmental Health Department Cambridge City Council - Environmental Health And Protection	September 2014	Annual Rolling Updat Not Applicable
	September 2014	Not Applicable
Local Authority Pollution Prevention and Control Enforcements	0.4.1	M = 2 = 1, 1 =
East Cambridgeshire District Council - Environmental Health Department	October 2014	Variable
South Cambridgeshire District Council - Environmental Health Department	October 2014	Variable
Cambridge City Council - Environmental Health And Protection	September 2014	Variable
Nearest Surface Water Feature	Navarah ar 2004	
Ordnance Survey	November 2021	
Pollution Incidents to Controlled Waters		
Environment Agency - Anglian Region	September 1999	
Prosecutions Relating to Authorised Processes		
Environment Agency - Anglian Region	July 2015	
Prosecutions Relating to Controlled Waters		
Environment Agency - Anglian Region	March 2013	
Registered Radioactive Substances		
Environment Agency - Anglian Region	June 2016	As notified
River Quality		
Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points		
Environment Agency - Head Office	April 2012	Annually
	April 2012	Aillidaily
River Quality Chemistry Sampling Points	April 2012	Annually
Environment Agency - Head Office	April 2012	Annually
Substantiated Pollution Incident Register		
Environment Agency - Anglian Region - Central Area	October 2021	Quarterly
Water Abstractions		
Environment Agency - Anglian Region	October 2021	Quarterly
Nater Industry Act Referrals		
Environment Agency - Anglian Region	October 2017	
Groundwater Vulnerability Map		
•	l 2010	A a patified
Environment Agency - Head Office	June 2018	As notified
Environment Agency - Head Office Groundwater Vulnerability - Soluble Rock Risk	June 2018	As notined

Order Number: 290270295_1_1 Date: 26-Jan-2022 rpr_ec_datasheet v53.0 A Landmark Information Group Service



Agency & Hydrological	Version	Update Cycle
Bedrock Aquifer Designations		
Environment Agency - Head Office	January 2018	Annually
Superficial Aquifer Designations		
Environment Agency - Head Office	January 2018	Annually
Source Protection Zones		
Environment Agency - Head Office	May 2021	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	November 2021	Quarterly
Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	November 2021	Quarterly
Areas Benefiting from Flood Defences		
Environment Agency - Head Office	September 2021	Quarterly
Flood Water Storage Areas		
Environment Agency - Head Office	September 2021	Quarterly
Flood Defences		
Environment Agency - Head Office	September 2021	Quarterly
OS Water Network Lines		
Ordnance Survey	October 2021	Quarterly
BGS Groundwater Flooding Susceptibility		,
British Geological Survey - National Geoscience Information Service	May 2013	Annually
Printed Geological Carvey National Geological Carvey	Iviay 2010	7 timaany
Waste	Version	Update Cycle
BGS Recorded Landfill Sites		
British Geological Survey - National Geoscience Information Service	November 2002	Not Applicable
Historical Landfill Sites		
Environment Agency - Head Office	May 2021	Quarterly
Integrated Pollution Control Registered Waste Sites		
Environment Agency - Anglian Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries)		
Environment Agency - Anglian Region - Central Area	October 2021	Quarterly
Licensed Waste Management Facilities (Locations)		
Environment Agency - Anglian Region - Central Area	October 2021	Quarterly
Local Authority Landfill Coverage		
Cambridge City Council	February 2003	Not Applicable
Cambridgeshire County Council	February 2003	Not Applicable
East Cambridgeshire District Council - Environmental Health Department	February 2003	Not Applicable
South Cambridgeshire District Council	February 2003	Not Applicable
Local Authority Recorded Landfill Sites	•	1
Cambridge City Council	October 2018	
Cambridgeshire County Council	October 2018	
East Cambridgeshire District Council - Environmental Health Department	October 2018	
South Cambridgeshire District Council	October 2018	
Registered Landfill Sites		
9	March 2006	Not Applicable
	IVIAICII 2000	
Environment Agency - Anglian Region - Central Area	IVIAICII 2000	
Environment Agency - Anglian Region - Central Area Registered Waste Transfer Sites Environment Agency - Anglian Region - Central Area	April 2018	
Environment Agency - Anglian Region - Central Area Registered Waste Transfer Sites		
Environment Agency - Anglian Region - Central Area Registered Waste Transfer Sites Environment Agency - Anglian Region - Central Area		

Order Number: 290270295_1_1 Date: 26-Jan-2022 rpr_ec_datasheet v53.0 A Landmark Information Group Service Page



Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH)		
Health and Safety Executive	January 2022	Bi-Annually
Explosive Sites		
Health and Safety Executive	March 2017	Annually
Notification of Installations Handling Hazardous Substances (NIHHS)		
Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements		
Cambridge City Council	February 2016	Variable
Cambridgeshire County Council	February 2016	Variable
East Cambridgeshire District Council - Planning Department	February 2016	Variable
South Cambridgeshire District Council	February 2016	Variable
Planning Hazardous Substance Consents		
Cambridge City Council	February 2016	Variable
Cambridgeshire County Council	February 2016	Variable
East Cambridgeshire District Council - Planning Department	February 2016	Variable
South Cambridgeshire District Council	February 2016	Variable
Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology		
British Geological Survey - National Geoscience Information Service	January 2009	Not Applicable
BGS Recorded Mineral Sites		
British Geological Survey - National Geoscience Information Service	November 2021	Bi-Annually
· · ·	November 2021	DI-Allitually
CBSCB Compensation District	A.v	
Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011	A = = CC =
Cheshire Brine Subsidence Compensation Board (CBSCB)	November 2020	As notified
Coal Mining Affected Areas		
The Coal Authority - Property Searches	March 2014	Annual Rolling Update
Mining Instability		
Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain		
British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	April 2020	Bi-Annually
Potential for Compressible Ground Stability Hazards	·	
British Geological Survey - National Geoscience Information Service	January 2019	Bi-Annually
,		2.7
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Bi-Annually
	January 2019	Di-Aillually
Potential for Landslide Ground Stability Hazards	1 2012	D' A !!
British Geological Survey - National Geoscience Information Service	January 2019	Bi-Annually
Potential for Running Sand Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	Bi-Annually
Potential for Shrinking or Swelling Clay Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	Bi-Annually
Radon Potential - Radon Affected Areas		
British Geological Survey - National Geoscience Information Service	July 2011	Annually
Radon Potential - Radon Protection Measures	•	<u> </u>
British Geological Survey - National Geoscience Information Service	July 2011	Annually
Shaon Scological Salvey Hadional Scoodichoo michilation Scivice	July 2011	Airidally

Order Number: 290270295_1_1 Date: 26-Jan-2022 rpr_ec_datasheet v53.0 A Landmark Information Group Service Page 11 of 14



Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries		
Thomson Directories	October 2021	Quarterly
Fuel Station Entries		
Catalist Ltd - Experian	November 2021	Quarterly
Gas Pipelines		
National Grid	October 2021	Bi-Annually
Underground Electrical Cables		
National Grid	May 2021	Bi-Annually
Sensitive Land Use	Version	Update Cycle
Ancient Woodland		
Natural England	February 2021	Bi-Annually
Areas of Adopted Green Belt		
Cambridge City Council	October 2020	Quarterly
East Cambridgeshire District Council - Planning Department	October 2020	Quarterly
South Cambridgeshire District Council	October 2020	Quarterly
Areas of Unadopted Green Belt		
Cambridge City Council	October 2020	Quarterly
East Cambridgeshire District Council - Planning Department	October 2020	Quarterly
South Cambridgeshire District Council	October 2020	Quarterly
Areas of Outstanding Natural Beauty		
Natural England	January 2021	Bi-Annually
Environmentally Sensitive Areas		
Natural England	January 2017	
Forest Parks		
Forestry Commission	April 1997	Not Applicable
Local Nature Reserves		
Natural England	February 2021	Bi-Annually
Marine Nature Reserves		
Natural England	July 2019	Bi-Annually
National Nature Reserves		
Natural England	January 2021	Bi-Annually
National Parks		
Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas	,	,
Natural England	April 2016	Not Applicable
Nitrate Vulnerable Zones		
Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA)	April 2016	
Environment Agency - Head Office	June 2017	Bi-Annually
Ramsar Sites		
Natural England	August 2020	Bi-Annually
	August 2020	Di Ailidally
Sites of Special Scientific Interest Natural England	February 2021	Bi-Annually
-	r colludiy 2021	Di-Allilually
Special Areas of Conservation	I10000	D: A
Natural England	July 2020	Bi-Annually
Special Protection Areas		
Natural England	February 2021	Bi-Annually

Order Number: 290270295_1_1 Date: 26-Jan-2022 rpr_ec_datasheet v53.0 A Landmark Information Group Service Page 12 of 14





A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	Map data
Environment Agency	Environment Agency
Scottish Environment Protection Agency	SEPA Scottish Environment Protection Agency
The Coal Authority	The Coal Authority
British Geological Survey	British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
Centre for Ecology and Hydrology	Centre for Ecology & Hydrology NATURAL ENVIRONMENT RESEARCH COUNCIL
Natural Resources Wales	Cyfoeth Naturiol Cymru Natural Resources Wales
Scottish Natural Heritage	SCOTTISH NATURAL HERITAGE 必公司
Natural England	NATURAL ENGLAND
Public Health England	Public Health England
Ove Arup	ARUP
Stantec UK Ltd	Stantec



Useful Contacts

Contact	Name and Address	Contact Details	
1	British Geological Survey - Enquiry Service	Telephone: 0115 936 3143	
	British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk	
2	Environment Agency - National Customer Contact Centre (NCCC)	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk	
	PO Box 544, Templeborough, Rotherham, S60 1BY		
3	Environment Agency - Head Office	Telephone: 01454 624400	
	Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Fax: 01454 624409	
4	Ordnance Survey	Telephone: 03456 05 05 05	
	Adanac Drive, Southampton, Hampshire, SO16 0AS	Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk	
5	South Cambridgeshire District Council	Telephone: 08450 450 500	
	South Cambridgeshire Hall, Cambourne Business Park, Cambourne, Cambridgeshire, CB23 6EA	Website: www.scambs.gov.uk	
6	Cambridge City Council	Telephone: 01223 457000	
	The Guildhall, Cambridge, Cambridgeshire, CB2 3QJ	Fax: 01223 463214 Website: www.cambridge.gov.uk	
7	Cambridgeshire County Council	Telephone: 01223 717111	
	Shire Hall, Castle Hill, Cambridge, Cambridgeshire, CB3 OAP	Fax: 01223 717201 Website: www.camcnty.gov.uk	
8	Cambridge City Council	Telephone: 01223 457000	
	The Guildhall, Cambridge, Cambridgeshire, CB2 3QJ	Fax: 01223 463214 Website: www.cambridge.gov.uk	
9	East Cambridgeshire District Council - Planning	Telephone: 01353 665555	
	Department	Fax: 01353 665 240 Website: www.eastcambs.gov.uk	
	The Grange, Nutholt Lane, Ely, Cambridgeshire, CB7 4PL		
10	Natural England	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk	
	County Hall, Spetchley Road, Worcester, WR5 2NP	Website: www.naturalengland.org.uk	
-	Public Health England - Radon Survey, Centre for	Telephone: 01235 822622 Fax: 01235 833891	
	Radiation, Chemical and Environmental Hazards	Email: radon@phe.gov.uk	
	Chilton, Didcot, Oxfordshire, OX11 0RQ	Website: www.ukradon.org	
-	Landmark Information Group Limited	Telephone: 0844 844 9952 Fax: 0844 844 9951	
	Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk	

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

Historical Mapping Legends

Gravel Pit Orchard Mixed Wood Deciduous Brushwood Furze Rough Pasture Arrow denotes Trigonometrical flow of water Station Bench Mark Site of Antiquities Pump, Guide Post, Well, Spring, Signal Post **Boundary Post** Surface Level Sketched Instrumental Contour Contour Fenced Main Roads Minor Roads Un-Fenced Raised Road Sunken Road Railway over Road over Railway Ri∨er Railway over Level Crossing Road over Road over Road over County Boundary (Geographical) County & Civil Parish Boundary Administrative County & Civil Parish Boundary County Borough Boundary (England) Co. Boro. Bdy. County Burgh Boundary (Scotland) Rural District Boundary RD. Bdy.

····· Civil Parish Boundary

Ordnance Survey County Series 1:10,560

Ordnance Survey Plan 1:10,000

Eurin	Chalk Pit, Clay Pit or Quarry	0 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	Gravel Pit	
	Sand Pit		Disused Pit or Quarry	
(00000)	Refuse or Slag Heap		Lake, Loch or Pond	
	Dunes	0000	Boulders	
* * *	Coniferous Trees	$\Diamond \Diamond \Diamond$	Non-Coniferous Trees	
φ ф	Orchard	Scrub	Υ _M Coppice	
ជ ជ ជ	Bracken	Heath '	Grassland	
<u> </u>	MarshV///	Reeds	그 <u>ょ</u> Saltings	
	Directi	ion of Flow of W	'ater	
	Building	15	Shingle	
	*	**	Sand	
155	Glasshouse		Sand	
~~		Pylon		
			Electricity	
777777	Sloping Masonry		Transmission	
		Pole	Line	
			•	
Cutting			_ Standard Gauge	
*****			Multiple Track	
∐ Road ' ''□	··· Road Level	Foot	Standard Gauge Single Track	
Under	Over Crossi		•	
			Siding, Tramway or Mineral Line	
-+ + + + + + + + + + Narrow Gauge				
— — Geographical County				
Administrative County, County Borough				
	Municipal Borough Burgh or District 0	h, Urban or Rur Council	al District,	
Borough, Burgh or County Constituency Shown only when not coincident with other boundaries				
Civil Parish Shown alternately when coincidence of boundaries occurs				
BP, BS E	Boundary Post or Stone	Pol Sta P	olice Station	
	Church		ost Office	
	Club House		ublic Convenience	
	ire Engine Station oot Bridge		ublic House ignal Box	
	ountain		pring	
	Guide Post	•	elephone Call Box	
MP N	/lile Post	TCP T	elephone Call Post	

1:10,000 Raster Mapping

(EE)	Gravel Pit	(EEE)	Refuse tip or slag heap
	Rock		Rock (scattered)
	Boulders		Boulders (scattered)
	Shingle	Mud	Mud
Sand	Sand		Sand Pit
********	Slopes		Top of cliff
	General detail		Underground detail
	- Overhead detail		Narrow gauge railway
	Multi-track railway		Single track railway
-•-•	County boundary (England only)	• • • • • •	Civil, parish or community boundary
	District, Unitary, Metropolitan, London Borough boundary		Constituency boundary
۵ ⁰ **	Area of wooded vegetation	۵ ^۵	Non-coniferous trees
\Diamond	Non-coniferous trees (scattered)	**	Coniferous trees
* *	Coniferous trees (scattered)	Ö	Positioned tree
ф ф ф ф	Orchard	* *	Coppice or Osiers
aTr.	Rough Grassland	www.	Heath
On	Scrub	7 <u>√</u> /۲	Marsh, Salt Marsh or Reeds
5	Water feature	← ←	Flow arrows
MHW(S)	Mean high water (springs)	MLW(S)	Mean low water (springs)
	Telephone line (where shown)		Electricity transmission line (with poles)
← BM 123.45 m	Bench mark (where shown)	Δ	Triangulation station
	Point feature (e.g. Guide Post or Mile Stone)	\boxtimes	Pylon, flare stac or lighting tower
•‡•	Site of (antiquity)		Glasshouse
	General Building		Important

General Building

Building


Envirocheck®

LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Cambridgeshire & Isle Of Ely	1:10,560	1886	2
Cambridgeshire & Isle Of Ely	1:10,560	1903 - 1904	3
Cambridgeshire & Isle Of Ely	1:10,560	1927	4
Cambridgeshire & Isle Of Ely	1:10,560	1938 - 1952	5
Cambridgeshire & Isle Of Ely	1:10,560	1952	6
Ordnance Survey Plan	1:10,000	1958 - 1959	7
Ordnance Survey Plan	1:10,000	1966	8
Ordnance Survey Plan	1:10,000	1974 - 1975	9
Ordnance Survey Plan	1:10,000	1982	10
Ordnance Survey Plan	1:10,000	1992	11
10K Raster Mapping	1:10,000	2000	12
Street View	Variable		13

Historical Map - Slice D



Order Details

Order Number: 290270295_1_1
Customer Ref: 05425/D
National Grid Reference: 548170, 261820
Slice: D

Slice: Site Area

Site Area (Ha): 9.58 Search Buffer (m): 1000


Site Details

Anglian Water Authority, Milton House, Cowley Road, CAMBRIDGE, CB4 0AP



Fel: 0844 844 9952 Fax: 0844 844 9951 Web: www.envirochec

A Landmark Information Group Service v50.0 26-Jan-2022 Page 1 of 13




LANDMARK INFORMATION GROUP®

Cambridgeshire & Isle Of Ely Published 1886


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice D



Order Details

Order Number: 290270295_1_1 Customer Ref: 05425/D National Grid Reference: 548170, 261820 Slice:

Site Area (Ha): Search Buffer (m): 9.58 1000


Site Details

Anglian Water Authority, Milton House, Cowley Road, CAMBRIDGE, CB4 0AP

Landmark

0844 844 9952

A Landmark Information Group Service v50.0 26-Jan-2022 Page 2 of 13




LANDMARK INFORMATION GROUP


Cambridgeshire & Isle Of Ely Published 1903 - 1904

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The

Map Name(s) and Date(s)



Historical Map - Slice D



Order Details

Order Number: 290270295_1_1 Customer Ref: 05425/D National Grid Reference: 548170, 261820 Slice:

Site Area (Ha): Search Buffer (m): 9.58


Site Details

Anglian Water Authority, Milton House, Cowley Road, CAMBRIDGE, CB4 0AP



0844 844 9952

A Landmark Information Group Service v50.0 26-Jan-2022 Page 3 of 13




LANDMARK INFORMATION GROUP®


Cambridgeshire & Isle Of Ely Published 1927 Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice D



Order Details

Order Number: 290270295_1_1
Customer Ref: 05425/D
National Grid Reference: 548170, 261820
Slice: D

Site Area (Ha): 9.58 Search Buffer (m): 1000

Site Details


Anglian Water Authority, Milton House, Cowley Road, CAMBRIDGE, CB4 0AP

Landmark

INFORMATION GROUP

Tel: 0844 844 9952 Fax: 0844 844 9951 Web: www.envirocheck.

A Landmark Information Group Service v50.0 26-Jan-2022 Page 4 of 13




LANDMARK INFORMATION GROUP®

Cambridgeshire & Isle Of Ely Published 1938 - 1952


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice D



Order Details

Order Number: 290270295_1_1 Customer Ref: 05425/D National Grid Reference: 548170, 261820

Site Area (Ha): Search Buffer (m): 9.58


Site Details

Anglian Water Authority, Milton House, Cowley Road, CAMBRIDGE, CB4 0AP

Landmark

0844 844 9952

A Landmark Information Group Service v50.0 26-Jan-2022 Page 5 of 13




LANDMARK INFORMATION GROUP®

Cambridgeshire & Isle Of Ely Published 1952


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice D



Order Details

Order Number: 290270295_1_1 Customer Ref: 05425/D National Grid Reference: 548170, 261820 Slice:

Site Area (Ha): Search Buffer (m): 9.58 1000


Site Details

Anglian Water Authority, Milton House, Cowley Road, CAMBRIDGE, CB4 0AP



0844 844 9952

A Landmark Information Group Service v50.0 26-Jan-2022 Page 6 of 13




LANDMARK INFORMATION GROUP®

Ordnance Survey Plan Published 1958 - 1959


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice D



Order Details

Order Number: 290270295_1_1 Customer Ref: 05425/D National Grid Reference: 548170, 261820

Site Area (Ha): Search Buffer (m): 9.58 1000


Site Details

Anglian Water Authority, Milton House, Cowley Road, CAMBRIDGE, CB4 0AP

Landmark

0844 844 9952

A Landmark Information Group Service v50.0 26-Jan-2022 Page 7 of 13




LANDMARK INFORMATION GROUP®

Ordnance Survey Plan Published 1966


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice D



Order Details

Order Number: 290270295_1_1 **Customer Ref:** 05425/D National Grid Reference: 548170, 261820

Site Area (Ha): Search Buffer (m): 9.58 1000


Site Details

Anglian Water Authority, Milton House, Cowley Road, CAMBRIDGE, CB4 0AP

Landmark

0844 844 9952

A Landmark Information Group Service v50.0 26-Jan-2022 Page 8 of 13




LANDMARK INFORMATION GROUP®


Ordnance Survey Plan Published 1974 - 1975 Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice D



Order Details

Order Number: 290270295_1_1 Customer Ref: 05425/D National Grid Reference: 548170, 261820

e:

Site Area (Ha): 9.58 Search Buffer (m): 1000


Site Details

Anglian Water Authority, Milton House, Cowley Road, CAMBRIDGE, CB4 0AP

Landmark INFORMATION GROUP

Tel: 0844 844 9952 Fax: 0844 844 9951 Web: www.envirocheck

A Landmark Information Group Service v50.0 26-Jan-2022 Page 9 of 13




LANDMARK INFORMATION GROUP®

Ordnance Survey Plan Published 1982


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice D



Order Details

Order Number: 290270295_1_1 Customer Ref: 05425/D National Grid Reference: 548170, 261820

Slice:

Site Area (Ha): 9.58 Search Buffer (m): 1000


Site Details

Anglian Water Authority, Milton House, Cowley Road, CAMBRIDGE, CB4 0AP

Landmark INFORMATION GROUP

Tel: 0844 844 9952 Fax: 0844 844 9951 Web: www.envirocher

A Landmark Information Group Service v50.0 26-Jan-2022 Page 10 of 13




LANDMARK INFORMATION GROUP®

Ordnance Survey Plan Published 1992


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice D



Order Details

Order Number: 290270295_1_1 Customer Ref: 05425/D National Grid Reference: 548170, 261820

e:

Site Area (Ha): 9.58 Search Buffer (m): 1000

Site Details

Anglian Water Authority, Milton House, Cowley Road, CAMBRIDGE, CB4 0AP

Landmark

INFORMATION GROUP

Tel: 0844 844 9952 Fax: 0844 844 9951 Web: www.envirocheck

A Landmark Information Group Service v50.0 26-Jan-2022 Page 11 of 13

